



Artificial Intelligence -based technologies in nursing: A scoping literature review of the evidence

Hanna von Gerich^a, Hans Moen^b, Lorraine J. Block^c, Charlene H. Chu^d, Haley DeForest^e, Mollie Hobensack^f, Martin Michalowski^g, James Mitchell^h, Raji Nibberⁱ, Mary Anne Olalia^j, Lisiane Pruinelli^k, Charlene E. Ronquillo^l, Maxim Topaz^{f,m}, Laura-Maria Peltonen^{a,*}

^a Department of Nursing Science University of Turku, Turku, Finland

^b Department of Computing, University of Turku, Turku, Finland

^c School of Nursing, University of British Columbia, Vancouver, Canada

^d Lawrence S. Bloomberg Faculty of Nursing, University of Toronto, Toronto, Canada

^e University of Hawaii at Maui, Hawaii, United States

^f Columbia University School of Nursing, United States

^g School of Nursing, University of Minnesota, Minneapolis, MN, United States

^h School of Computing and Mathematics, Keele University, United Kingdom

ⁱ Fraser Health Authority, BC, Canada

^j Daphne Cockwell School of Nursing, Ryerson University, Toronto, Canada

^k School of Nursing, University of Minnesota, Minneapolis, United States

^l School of Nursing, University of British Columbia Okanagan, Kelowna, BC, Canada

^m School of Nursing, Columbia University, New York, United States

ARTICLE INFO

Article history:

Received 11 August 2021

Received in revised form 23 November 2021

Accepted 1 December 2021

Keywords:

AI
Artificial intelligence
Nursing
Nursing informatics
Scoping review

ABSTRACT

Background: Research on technologies based on artificial intelligence in healthcare has increased during the last decade, with applications showing great potential in assisting and improving care. However, introducing these technologies into nursing can raise concerns related to data bias in the context of training algorithms and potential implications for certain populations. Little evidence exists in the extant literature regarding the efficacious application of many artificial intelligence -based health technologies used in healthcare.

Objectives: To synthesize currently available state-of the-art research in artificial intelligence -based technologies applied in nursing practice.

Design: Scoping review

Methods: PubMed, CINAHL, Web of Science and IEEE Xplore were searched for relevant articles with queries that combine names and terms related to nursing, artificial intelligence and machine learning methods. Included studies focused on developing or validating artificial intelligence -based technologies with a clear description of their impacts on nursing. We excluded non-experimental studies and research targeted at robotics, nursing management and technologies used in nursing research and education.

Results: A total of 7610 articles published between January 2010 and March 2021 were revealed, with 93 articles included in this review. Most studies explored the technology development ($n = 55$, 59.1%) and formation (testing) ($n = 28$, 30.1%) phases, followed by implementation ($n = 9$, 9.7%) and operational ($n = 1$, 1.1%) phases. The vast majority (73.1%) of studies provided evidence with a descriptive design (level VI) while only a small portion (4.3%) were randomised controlled trials (level II). The study aims, settings and methods were poorly described in the articles, and discussion of ethical considerations were lacking in 36.6% of studies. Additionally, one-third of papers (33.3%) were reported without the involvement of nurses.

* Corresponding author.

E-mail addresses: hanna.m.vongerich@utu.fi (H. von Gerich), lori.block@ubc.ca (L.J. Block), charlene.chu@utoronto.ca (C.H. Chu), mxh2000@cumc.columbia.edu (M. Hobensack), martinm@umn.edu (M. Michalowski), j.a.mitchell@keele.ac.uk (J. Mitchell), raji.nibber@alumni.ubc.ca (R. Nibber), molalia@ryerson.ca (M.A. Olalia), pruin001@umn.edu (L. Pruinelli), charlene.ronquillo@ubc.ca (C.E. Ronquillo), laura-maria.peltonen@utu.fi (L.-M. Peltonen).

Conclusions: Contemporary research on applications of artificial intelligence -based technologies in nursing mainly cover the earlier stages of technology development, leaving scarce evidence of the impact of these technologies and implementation aspects into practice. The content of research reported is varied. Therefore, guidelines on research reporting and implementing artificial intelligence -based technologies in nursing are needed. Furthermore, integrating basic knowledge of artificial intelligence -related technologies and their applications in nursing education is imperative, and interventions to increase the inclusion of nurses throughout the technology research and development process is needed.

© 2021 The Author. Published by Elsevier Ltd.

This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>)

What is already known

- Research and development of AI-based technologies in health-care has increased within the last decade, showing great potential in nursing; however, the evidence of the influence of applications of these technologies in nursing has yet not been reviewed.
- Introducing AI-based technologies in health care has raised ethical concerns which could be mitigated by providing adequate information on AI and transparent discussion regarding the ethics of AI in nursing.
- End users' involvement in technology development is important throughout the process; however, the role of nurses in the development of AI-based technologies in nursing is unclear.

What this paper adds

- A comprehensive review on the development and applications of AI-based technologies for nurses' use in clinical practice.
- Applications of AI-based technologies in nursing are still in their early development phases, highlighting limited nurse involvement in these processes. Integrating basic knowledge of AI-based technologies within all levels of nursing education would support safe and ethical use of these technologies.
- Guidelines are needed to encourage higher quality in reporting AI-related research regarding key details like aims, settings, methods, and ethical implications in nursing.

1. Introduction

Artificial intelligence (AI) is an umbrella term used to describe techniques developed to teach computers to mimic human-like cognitive functions like learning, reasoning, communicating and decision-making (Robert, 2019). AI can be defined as:

“software (and possibly also hardware) systems designed by humans that, given a complex goal, act in the physical or digital dimension by perceiving their environment through data acquisition, interpreting the collected structured or unstructured data, reasoning on the knowledge, or processing the information, derived from this data and deciding the best action(s) to take to achieve the given goal” (AI HLEG, 2019, pp. 6).

The history of AI in nursing spans over four decades. First mentions in the Medline database go as far back as 1985, with the introduction of expert systems providing clinical decision support (Ryan, 1985), followed by state-of-the-art nurse scheduling models (Sitompul et al., 1990). From the beginning, challenges facing the adoption of AI for nursing have raised concerns (Evans, 1985), and the need to develop new perspectives on technology adoption and identifying barriers in technology acceptance among nurses is equally as relevant today (Parthasarathy et al., 2018). The amount of research around AI in medicine and health has grown rapidly

during the last decade (Tran et al., 2019), and the recent popularity in introducing AI in nursing is easy to justify. Today's data-rich healthcare ecosystem offers numerous possibilities for AI-developers, and AI offers ways to reduce costs and increase the efficiency of health care services (Matheny et al., 2019). To that end, it is estimated that by 2025, AI could create potential healthcare savings of \$150 billion (McGrow, 2019).

Introducing AI-based technologies into the nursing discipline has raised concerns and public discussion, with many fearing that technologies will replace human-to-human interaction, compromising the ethics of care, while others are worried that AI will replace nurses (Stokes and Palmer, 2020). Other major concerns revolve around the ethical use of these technologies, such as managing data bias and its use to train algorithms (Robert, 2019). Some of these fears could be alleviated by providing adequate information on AI for the end users, understanding the current research on these technologies, and through transparent discussion regarding the ethics of AI in nursing (Stokes and Palmer 2020). When developed and implemented thoughtfully and thoroughly, AI-based technologies in nursing should be easy and intuitive to use. Such technologies can relieve nurses of administrative tasks, allowing for the concentration of their efforts on the core of professional care. A necessary step towards the broader benefits of AI-based technologies for nursing is the identification of the domains where they present actual added value to nursing (Robert, 2019.)

Nurses, both as potential users of AI-based technologies and as experts of professional care, are in a key position to shape and lead the evolution of modern AI in nursing (McGrow, 2019). Although nurses' clinical and research expertise can play a vital role in co-designing nursing-relevant technologies, their current level of involvement in the research and co-design of these technologies remains unclear (Buchanan et al., 2020). However, nurses have often been excluded in the early analysis, development, and design phases of precision medicine and AI, only included to contribute their expertise in the late phases of testing when it could be used earlier in the process (Zhou et al., 2021). The lack of a common vocabulary and understanding between the experts in nursing and technological domains is further suggested to be a barrier for nurse involvement in AI research and co-design (Buchanan et al., 2020). By gathering the current research evidence on AI-based technologies in nursing, the gap in knowledge, standardized definitions, concepts, and theories for AI in nursing can be narrowed.

The aim of this scoping literature review is to synthesize the currently available state-of-the-art research in AI-based technologies applied in nursing practice. This scoping review 1) summarizes the types of available evidence (Munn et al., 2018), such as applications of AI in nursing and their evaluation, 2) reviews the involvement of nurses in technological development and research, and 3) examines ethical discussions in published research.

2. Methods

This scoping review included articles that describe the development, testing, implementation, clinical use or optimization

of technologies utilizing AI in the clinical nursing context. Due to the wide scale of available technologies defined as AI and the exponentially growing interest to develop technologies using AI in nursing, a scoping review to summarize and disseminate the findings was conducted following the methodological framework proposed by Arksey and O'Malley (2005) that was later advanced by Levac et al. (2010). This methodological framework consists of five stages: (1) identifying the research questions, (2) identifying relevant studies, (3) study selection, (4) charting the data, and (5) collating, summarizing and reporting the results (Levac et al., 2010). The Preferred Reporting Items for Systematic Reviews and Meta-Analyses extension for Scoping Reviews (PRISMA-ScR) checklist (Tricco et al., 2018) was used as a guideline in reporting the results of the study. A protocol for this review was published in OSF registries (<https://osf.io/2bwcs>), registration doi: 10.17605/OSF.IO/2BWCS.

2.1. Identifying the research questions

To accomplish the aims of the study, the following research questions were identified:

- 1) What AI-based technologies have been developed and applied to nursing?
- 2) How have AI-based technologies in nursing been evaluated?
- 3) What have evaluations on AI-based technologies in nursing shown?
- 4) How are nurses participating in AI-based technology development and research?
- 5) How are ethical issues related to AI in nursing addressed in the reported research?

2.2. Identifying relevant studies

A search was conducted in March 2021 using the following electronic databases: PubMed (MEDLINE), CINAHL (EBSCO), Web of Science and IEEE Xplore from January 1st 2010 to March 24st 2021. This time period was selected due to the rapid development and advancement of nursing technologies utilizing AI during the 2010s (Tran et al., 2019). Peer-reviewed journal articles written in English were included. A comprehensive search strategy was developed and refined in collaboration with our research team, and a health science librarian was consulted. The search terms (title and abstract) were "nurse*", "nursing" and 61 relevant terms related to technologies, methodologies and algorithms used in artificial intelligence and machine learning:

(Nurse* OR Nursing) AND ("Supervised learning" OR "Support Vector Machines" OR "Conditional random field" OR "decision tree*" OR "Random Forest" OR "k-nearest neighbor" OR "Neural Network" OR "Similarity learning" OR "Bayesian Networks" OR "unsupervised learning" OR "clustering" OR "k-means" OR "mixture models" OR "Anomaly detection" OR "principal component analysis" OR "Independent component analysis" OR "Semi-supervised learning" OR "graph-based method" OR "Heuristic approach" OR "Multi-task learning" OR "Reinforcement learning" OR "Feature learning" OR "nearest neighbor classification" OR "Dimensionality reduction" OR "Statistical classification" OR "outlier detection" OR "hidden Markov models" OR "Ensemble techniques" OR "Apriori algorithm" OR "Multi-Relation Association Rules" OR "Generalized Association Rules" OR "Quantitative Association Rules" OR "Interval Data Association Rules" OR "Sequential pattern mining" OR "Sequence mining" OR "Learning classifier system" OR "rule-based machine learning" OR "Feedforward neural network" OR "Recurrent neural network" OR "Convolutional neural network" OR "Long-short term memory" OR "Data mining" OR "Text mining" OR "Text classification" OR "Information extraction" OR "In-

formation retrieval" OR "Image classification" OR "Image recognition" OR "Digital image processing" OR "Speech recognition" OR "Text generation" OR "Machine learning" OR "Anonymization" OR "pseudonymization" OR "Natural language processing" OR "Natural language understanding" OR "Computer vision" OR "Artificial intelligig*" OR "Computational linguistics" OR "Computer science" OR "deep learning")

Applicable MeSH-terms ("Supervised Machine Learning", "Deep Learning", "Unsupervised Machine Learning", "support vector machine", "decision trees", "neural networks, computer", "principal component analysis", "Multifactor Dimensionality Reduction", "data mining", "data science", "information storage and retrieval", "Speech Recognition Software", "Machine Learning", "Data Anonymization", "Natural Language Processing", "Decision Support Systems, Clinical", "Artificial Intelligence") were added to searches in PubMed and Subject Headings ("Machine Learning+", "Deep Learning", "Support Vector Machine", "Decision Support Systems, Clinical", "Decision Support Systems, Management", "Decision Trees+", "Random Forest", "Neural Networks (Computer)", "Data Mining", "Data Analytics", "Information Retrieval+", "Image Processing, Computer Assisted+", "Voice Recognition Systems", "Natural Language Processing", "Artificial Intelligence+") in searches in CINAHL.

2.3. Study selection

The included studies focused on developing or validating AI-based technologies to be used in nursing care. The studies were experimental or observational using qualitative, quantitative or mixed methods approaches. Articles required a clear description of the relationship with, and the potential impact on, nursing. For example, studies where the nurses in the research had tested the implementation in the clinical setting, or where the authors had made a connection to the uses of the suggested technology as it pertains to the scope of nursing practice, were included. Studies that focused on key phases within AI development and application – technology development, technology formation (testing), technology implementation or operation phase – were included.

We excluded studies that were not relevant to nursing, non-experimental or non-observational, or were literature review articles. Studies that did not evaluate the AI-based technologies used in the study, as well as research targeted at technology used in nursing research and education, were also excluded. Further excluded studies covered nursing robots and nursing management. Nursing robots were defined using the ISO8373 (www.iso.org) definition:

"systems of mechanical, electrical, and control mechanisms used by trained operators in a professional health care setting that perform tasks in direct interaction with patients, nurses, doctors, and other health care professionals and which can modify their behavior based on what they sense in their environment."

2.4. Charting the data

Identified article abstracts were downloaded into the Covidence web application (<https://www.covidence.org>), where duplicates were removed. Article titles and abstracts were randomly screened independently by two different reviewers and labelled with the following categories: "include", "exclude", or "potentially include". Conflicts were resolved by a third reviewer (LMP or HvG). Studies included in the full text review were screened independently by two of the authors (LMP and HvG) and conflicts were resolved by discussing each article individually.

A data extraction template was created to extract relevant information from the included articles. This template was refined




Fig 1. PRISMA flowchart.

through feedback from our research team. The following data categories were extracted for each article, when applicable:

- Author(s), study location, publication details
- Issue/health problem targeted by AI
- Data source, data type and AI technology/algorithm used on the study
- Phase of technology
- Study design
- Aim of research
- Sampling method
- Sample size
- Data source
- Data analysis techniques
- AI aimed at (age group)
- User group
- Setting
- Clinical outcome of interest
- Does the AI technology work?
- Reported validation
- Was there a person with a nursing background involved?
- Are ethical issues discussed in the paper?

Data extraction was also completed by two reviewers for each article, where the second reviewer confirmed and completed the results as needed.

2.5. Collating, summarizing and reporting the results

The data were extracted to a spreadsheet and analyzed using descriptive statistics; qualitative data were synthesized using content analysis (Elo and Kyngäs, 2007). A summary of review findings are presented in Supplement 1.

3. Results

3.1. Overview of included studies

A total of 7610 articles were retrieved from four databases, as illustrated in the PRISMA flowchart diagram (Fig 1). Altogether, 2755 duplicates were removed and 4430 articles were excluded through the title and abstract screening process. A total of 425 full text articles were retrieved and evaluated. Ultimately, 93 studies met the inclusion criteria and were included in the review.

Most of the studies were conducted in North America (47.3%, $n = 44$), followed by Asia (32.3%, $n = 30$), Europe (15.5%, $n = 14$), Oceania (2.2%, $n = 2$), South America (2.2%, $n = 2$) and Africa (1.1%, $n = 1$) (as presented in Supplement 1). Table 1 presents an overview of studies' characteristics. Studies' designs were classified using the seven-level hierarchy of research evidence by (Grove, 2017), with level I being the highest level of evidence and level VII being the lowest level of evidence. Studies reached predominantly the VI evidence level (73.1%, $n = 68$), with the majority of the studies being descriptive in nature. The most common healthcare setting was acute care (64.5%, $n = 60$).

Approximately half of the research developed new AI technologies, followed by about one-third of articles that assessed, evaluated or validated existing AI technologies. Supplement 1 shows that the majority of the articles lacked a clear description of study design (67.0%, $n = 63$) or sampling method (66.0%, $n = 62$), and only about half of the articles had a clear description of the aim of the research ($n = 41$). The AI technologies were validated with performance evaluation measures (75.3%, $n = 70$), user evaluation (19.4%, $n = 18$), comparative evaluation not including performance measures (6.5%, $n = 6$), and quality evaluation (3.2%, $n = 3$). Performance evaluation was combined with user evaluation in four studies, the user groups being staff nurses

Table 1
Studies' characteristics and descriptions of artificial intelligence (AI) -based technologies.

Characteristic	n	%
Study design by levels of research evidence		
Level I (e.g. meta-analysis)	0	0
Level II (e.g. randomized controlled trial)	4	4.3
Ajay et al., 2016, Hwang et al., 2021, North et al., 2014, Wojtusiak et al., 2021		
Level III (e.g. quasi-experimental study)	6	6.5
Alshurafa et al., 2017, Devos et al., 2019, Lee and Lin, 2020, Liao et al., 2015, Oh et al., 2014, Zamzmi et al., 2019		
Level IV (e.g. descriptive correlational study)	15	16.1
Annapragada et al., 2021, Back et al., 2016, Chun et al., 2021, Ginestra et al., 2019, Hur et al., 2019, Kang et al., 2018, Long et al., 2016, Martins et al., 2016, Moskowitz et al., 2020, Safavi et al., 2019, Setoguchi et al., 2016, Subramaniam and Dass, 2021, Unger et al., 2019, Wong et al., 2018, Zachariah et al., 2020		
Level V (e.g. qualitative meta-synthesis)	0	0
Level VI (e.g. descriptive study)	68	73.1
Aldaz et al., 2015, Barrera et al., 2020, Bian et al., 2020, Bose et al., 2019, Bu et al., 2020, Cabri et al., 2020, Chu and Huang, 2020, Cooper et al., 2021, Cramer et al., 2019, Fratzke et al., 2014, Gangavarapu et al., 2019, Gannod et al., 2019, Gholami et al., 2012, Guidi et al., 2015, Howarth et al., 2020, Hunter et al., 2011, Hunter et al., 2012, Ivanov et al., 2021, Im and Chee, 2011, Jauk et al., 2021, Jindal et al., 2018, Jung et al., 2020; Koleck et al., 2021, Korach et al., 2020, Ladios-Martin et al., 2020, Li and Mathews, 2017, Lin et al., 2014, Liu et al., 2018, Lopes et al., 2013, Mairittha et al., 2019, Maitre et al., 2020, Marukami et al., 2012, Minvielle and Audiffren, 2019, Moen et al., 2020a,b, Mohammadi et al., 2020, Morita et al., 2018, Mufti et al., 2019, Narang et al., 2021, Nuutinen et al., 2020, Ongenae et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Rantz et al., 2014, Romero-Brufau et al., 2021, Sandhu et al., 2020, Shu and Shu, 2021, Sikka et al., 2012, Singh et al., 2018, Skubic et al., 2015, Song et al., 2021, Soufi et al., 2018, Steurbaut et al., 2013, Su et al., 2019, Sullivan et al., 2019, Suominen et al., 2015, Tang et al., 2019, Tateno et al., 2020, Topaz et al., 2016, Topaz et al., 2019a, Topaz et al., 2019b, Vedanthan et al., 2015, Wang et al., 2021, Wang et al., 2015, Wang et al., 2018, Wellner et al., 2017, Yokota et al., 2017, Yu et al., 2020		
Level VII (e.g. opinions of expert committees and authorities)	0	0
Aim of the research	n	%
To develop Artificial Intelligence (AI) technologies	46	49.5
Ajay et al., 2016, Annapragada et al., 2021, Back et al., 2016, Chu and Huang, 2020, Cooper et al., 2021, Cramer et al., 2019, Gangavarapu et al., 2019, Howarth et al., 2020, Hunter et al., 2012, Hur et al., 2019, Jindal et al., 2018, Kang et al., 2018, Korach et al., 2020, Ladios-Martin et al., 2020, Li and Mathews, 2017, Lin et al., 2014, Liu et al., 2018, Lopes et al., 2013, Maitre et al., 2020, Martins et al., 2016, Minvielle and Audiffren, 2019, Mohammadi et al., 2020, Moskowitz et al., 2020, Nuutinen et al., 2020, Özcanhan et al., 2020, Parisi et al., 2018, Romero-Brufau et al., 2021, Setoguchi et al., 2016, Shu and Shu, 2021, Sikka et al., 2012, Singh et al., 2018, Song et al., 2021, Soufi et al., 2018, Su et al., 2019, Subramaniam and Dass, 2021, Sullivan et al., 2019, Tang et al., 2019, Tateno et al., 2020, Topaz et al., 2016, Wang et al., 2021, Wang et al., 2018, Wojtusiak et al., 2021, Wong et al., 2018, Yokota et al., 2017, Yu et al., 2020, Zamzmi et al., 2019		
Improve accuracy or efficiency of AI technologies	3	3.2
Gholami et al., 2012, Long et al., 2016, Steurbaut et al., 2013		
To test different algorithms or AI technologies	17	18.3
Bose et al., 2019, Chun et al., 2021, Gannod et al., 2019, Ivanov et al., 2021, Im and Chee, 2011, Jung et al., 2020; Koleck et al., 2021, Lee and Lin, 2020, Liao et al., 2015; Moen et al., 2020b, Morita et al., 2018, Mufti et al., 2019, Ongenae et al., 2014, Sandhu et al., 2020, Topaz et al., 2019b, Wellner et al., 2017, Zachariah et al., 2020		
To assess / evaluate / validate existing AI technologies	27	29.0
Aldaz et al., 2015, Alshurafa et al., 2017, Barrera et al., 2020, Bian et al., 2020, Bu et al., 2020, Cabri et al., 2020, Devos et al., 2019, Fratzke et al., 2014, Ginestra et al., 2019, Guidi et al., 2015, Hunter et al., 2011, Hwang et al., 2021, Jauk et al., 2021, Mairittha et al., 2019, Marukami et al., 2012, Moen et al., 2020a, Narang et al., 2021, North et al., 2014, Oh et al., 2014, Rantz et al., 2014, Safavi et al., 2019, Skubic et al., 2015, Suominen et al., 2015, Topaz et al., 2019a, Unger et al., 2019, Vedanthan et al., 2015, Wang et al., 2015		
Setting	n	%
Acute care	60	64.5
Annapragada et al., 2021, Back et al., 2016, Barrera et al., 2020, Bian et al., 2020, Bu et al., 2020, Chu and Huang, 2020, Chun et al., 2021, Cooper et al., 2021, Cramer et al., 2019, Fratzke et al., 2014, Gangavarapu et al., 2019, Gholami et al., 2012, Ginestra et al., 2019, Howarth et al., 2020, Hunter et al., 2011, Hunter et al., 2012, Hur et al., 2019, Hwang et al., 2021, Ivanov et al., 2021, Im and Chee, 2011, Jauk et al., 2021, Jung et al., 2020, Kang et al., 2018; Koleck et al., 2021, Korach et al., 2020, Ladios-Martin et al., 2020, Lee and Lin, 2020, Liao et al., 2015, Lin et al., 2014, Liu et al., 2018, Moen et al., 2020a,b, Mohammadi et al., 2020, Moskowitz et al., 2020, Mufti et al., 2019, Narang et al., 2021, Oh et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Rantz et al., 2014, Romero-Brufau et al., 2021, Safavi et al., 2019, Sandhu et al., 2020, Setoguchi et al., 2016, Sikka et al., 2012, Singh et al., 2018, Song et al., 2021, Soufi et al., 2018, Steurbaut et al., 2013, Subramaniam and Dass, 2021, Suominen et al., 2015, Topaz et al., 2016, Unger et al., 2019, Wang et al., 2021, Wellner et al., 2017, Wong et al., 2018, Yokota et al., 2017, Yu et al., 2020, Zachariah et al., 2020, Zamzmi et al., 2019		
Primary / public health / occupational health (outpatient)	8	8.6
Ajay et al., 2016, Alshurafa et al., 2017, Bose et al., 2019, Jindal et al., 2018, Long et al., 2016, Martins et al., 2016, North et al., 2014, Vedanthan et al., 2015		
Long-term care facilities	11	11.8
Aldaz et al., 2015, Devos et al., 2019, Gannod et al., 2019, Maitre et al., 2020, Minvielle and Audiffren, 2019, Morita et al., 2018, Ongenae et al., 2014, Skubic et al., 2015, Tang et al., 2019, Tateno et al., 2020, Wojtusiak et al., 2021		
Homecare	7	7.5
Nuutinen et al., 2020, Shu and Shu, 2021, Su et al., 2019, Sullivan et al., 2019, Topaz et al., 2019a, Topaz et al., 2019b, Wang et al., 2015		
Not Specified	7	7.5
Cabri et al., 2020, Guidi et al., 2015, Li and Mathews, 2017, Lopes et al., 2013, Mairittha et al., 2019, Marukami et al., 2012, Wang et al., 2018		

(Continued on next page)

Table 1 (Continued).

Sampling in validation / evaluation	n	%
Convenience sampling Ajay et al., 2016, Aldaz et al., 2015, Barrera et al., 2020, Bian et al., 2020, Chu and Huang, 2020, Cooper et al., 2021, Cramer et al., 2019, Devos et al., 2019, Fratzke et al., 2014, Gholami et al., 2012, Ginestra et al., 2019, Howarth et al., 2020, Hunter et al., 2011, Hwang et al., 2021, Jauk et al., 2021, Jung et al., 2020, Koleček et al., 2021; Lee and Lin, 2020, Li and Mathews, 2017, Lin et al., 2014, Liu et al., 2018, Long et al., 2016, Maitre et al., 2020, Martins et al., 2016, Marukami et al., 2012, Minvielle and Audiffren, 2019, Moen et al., 2020a, Morita et al., 2018, Moskowitz et al., 2020, Ongenae et al., 2014, Özcanhan et al., 2020, Rantz et al., 2014, Romero-Brufau et al., 2021, Sandhu et al., 2020, Setoguchi et al., 2016, Shu and Shu, 2021, Sikka et al., 2012, Skubic et al., 2015, Song et al., 2021, Soufi et al., 2018, Steurbaut et al., 2013, Su et al., 2019, Tang et al., 2019, Tateno et al., 2020, Unger et al., 2019, Vedanthan et al., 2015, Wang et al., 2018, Wojtusiak et al., 2021, Wong et al., 2018, Zachariah et al., 2020	50	53.8
Simple random sampling Back et al., 2016, Bose et al., 2019, Bu et al., 2020, Cabri et al., 2020, Guidi et al., 2015, Hur et al., 2019, Ivanov et al., 2021, North et al., 2014, Safavi et al., 2019, Sullivan et al., 2019, Topaz et al., 2016, Topaz et al., 2019b	12	12.9
Purposeful sampling Annapragada et al., 2021, Alshurafa et al., 2017, Chun et al., 2021, Gangavarapu et al., 2019, Gannod et al., 2019, Hunter et al., 2012, Im and Chee, 2011, Jindal et al., 2018, Kang et al., 2018, Korach et al., 2020, Ladios-Martin et al., 2020, Lopes et al., 2013, Mairittha et al., 2019; Moen et al., 2020b, Mufti et al., 2019, Narang et al., 2021, Nuutinen et al., 2020, Oh et al., 2014, Subramaniam and Dass, 2021, Suominen et al., 2015, Topaz et al., 2019a, Wang et al., 2021, Wang et al., 2015, Wellner et al., 2017, Yokota et al., 2017, Yu et al., 2020, Zamzmi et al., 2019	27	29.0
Quota sampling Parisi et al., 2018, Singh et al., 2018	2	2.2
Systematic sampling Liao et al., 2015	1	1.1
Stratified random sampling Mohammadi et al., 2020	1	1.1
Data collection method	n	%
Electronic health records Ajay et al., 2016, Annapragada et al., 2021, Back et al., 2016, Bu et al., 2020, Cooper et al., 2021, Cramer et al., 2019, Gangavarapu et al., 2019, Gholami et al., 2012, Hunter et al., 2011, Hur et al., 2019, Ivanov et al., 2021, Jung et al., 2020, Kang et al., 2018; Koleček et al., 2021, Korach et al., 2020, Ladios-Martin et al., 2020, Liao et al., 2015, Lin et al., 2014, Lopes et al., 2013, Marukami et al., 2012, Moen et al., 2020a,b, Mohammadi et al., 2020, Moskowitz et al., 2020, Mufti et al., 2019, North et al., 2014, Oh et al., 2014, Romero-Brufau et al., 2021, Safavi et al., 2019, Setoguchi et al., 2016, Singh et al., 2018, Song et al., 2021, Soufi et al., 2018, Su et al., 2019, Topaz et al., 2016, Topaz et al., 2019a, Topaz et al., 2019b, Wang et al., 2018, Wellner et al., 2017, Wojtusiak et al., 2021, Wong et al., 2018, Yokota et al., 2017, Yu et al., 2020, Zachariah et al., 2020, Zamzmi et al., 2019	45	47.4
Information systems (i.e. Adverse event information system) Bose et al., 2019, Cabri et al., 2020, Chun et al., 2021, Liu et al., 2018, Nuutinen et al., 2020, Sikka et al., 2012, Steurbaut et al., 2013, Subramaniam and Dass, 2021, Sullivan et al., 2019	9	9.5
Survey, questionnaire, interview Aldaz et al., 2015, Alshurafa et al., 2017, Barrera et al., 2020, Chu and Huang, 2020, Devos et al., 2019, Fratzke et al., 2014, Gannod et al., 2019, Ginestra et al., 2019, Howarth et al., 2020, Hunter et al., 2011, Hunter et al., 2012, Im and Chee, 2011, Jauk et al., 2021, Jindal et al., 2018, Long et al., 2016, Mairittha et al., 2019, Moen et al., 2020a, Oh et al., 2014, Sandhu et al., 2020, Sikka et al., 2012, Suominen et al., 2015, Unger et al., 2019, Vedanthan et al., 2015, Wang et al., 2018	24	25.3
Instruments, Indexes Alshurafa et al., 2017, Barrera et al., 2020, Devos et al., 2019, Martins et al., 2016	4	4.2
Observation (live / recorded / images) Aldaz et al., 2015, Fratzke et al., 2014, Hwang et al., 2021, Li and Mathews, 2017, Marukami et al., 2012, Narang et al., 2021, Shu and Shu, 2021, Sikka et al., 2012, Tang et al., 2019, Wang et al., 2021, Wang et al., 2015, Zamzmi et al., 2019	12	12.6
Physiological data Alshurafa et al., 2017, Bian et al., 2020, Guidi et al., 2015, Parisi et al., 2018, Shu and Shu, 2021, Skubic et al., 2015, Zamzmi et al., 2019	7	7.4
App use data Ongenae et al., 2014, Tang et al., 2019	2	2.1
Motion/pressure sensors Lee and Lin, 2020, Maitre et al., 2020, Minvielle and Audiffren, 2019, Morita et al., 2018, Özcanhan et al., 2020, Rantz et al., 2014, Tateno et al., 2020	7	7.4
Data analysis method	n	%
Content analysis Ginestra et al., 2019, Hunter et al., 2011, Hunter et al., 2012, Ivanov et al., 2021, Im and Cee, 2011; Koleček et al., 2021, Sandhu et al., 2020, Topaz et al., 2016, Topaz et al., 2019b, Vedanthan et al., 2015	10	10.8
Descriptive statistics Alshurafa et al., 2017, Bose et al., 2019, Bu et al., 2020, Cabri et al., 2020, Chu and Huang, 2020, Fratzke et al., 2014, Gangavarapu et al., 2019, Guidi et al., 2015, Howarth et al., 2020, Hwang et al., 2021, Jauk et al., 2021, Jindal et al., 2018, Kang et al., 2018, Lee and Lin, 2020, Liao et al., 2015, Lin et al., 2014, Liu et al., 2018, Long et al., 2016, Lopes et al., 2013, Maitre et al., 2020, Marukami et al., 2012, Minvielle and Audiffren, 2019; Moen et al., 2020b, Morita et al., 2018, Narang et al., 2021, North et al., 2014, Nuutinen et al., 2020, Ongenae et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Rantz et al., 2014, Romero-Brufau et al., 2021, Safavi et al., 2019, Setoguchi et al., 2016, Shu and Shu, 2021, Singh et al., 2018, Skubic et al., 2015, Song et al., 2021, Soufi et al., 2018, Steurbaut et al., 2013, Subramaniam and Dass, 2021, Suominen et al., 2015, Tang et al., 2019, Tateno et al., 2020, Topaz et al., 2019a, Topaz et al., 2019b, Unger et al., 2019, Wang et al., 2018, Yokota et al., 2017, Yu et al., 2020, Zamzmi et al., 2019	51	54.8

(Continued on next page)

Table 1 (Continued).

Inferential statistics	35	37.6
Ajay et al., 2016, Aldaz et al., 2015, Annapragada et al., 2021, Back et al., 2016, Barrera et al., 2020, Bian et al., 2020, Chun et al., 2021, Cooper et al., 2021, Cramer et al., 2019, Devos et al., 2019, Gannod et al., 2019, Gholami et al., 2012, Hunter et al., 2012, Hur et al., 2019, Im and Chee, 2011, Jung et al., 2020, Korach et al., 2020, Ladios-Martin et al., 2020, Li and Mathews, 2017, Mairittha et al., 2019, Martins et al., 2016, Moen et al., 2020a, Mohammadi et al., 2020, Moskowitz et al., 2020, Mufti et al., 2019, Oh et al., 2014, Sikka et al., 2012, Su et al., 2019, Sullivan et al., 2019, Wang et al., 2021, Wang et al., 2015, Wellner et al., 2017, Wojtusiak et al., 2021, Wong et al., 2018, Zachariah et al., 2020		
User of AI	n	%
Staff nurse	79	84.9
Aldaz et al., 2015, Annapragada et al., 2021, Back et al., 2016, Barrera et al., 2020, Bian et al., 2020, Bose et al., 2019, Cabri et al., 2020, Chu and Huang, 2020, Chun et al., 2021, Cooper et al., 2021, Cramer et al., 2019, Fratzke et al., 2014, Gangavarapu et al., 2019, Gannod et al., 2019, Gholami et al., 2012, Ginestra et al., 2019, Guidi et al., 2015, Howarth et al., 2020, Hunter et al., 2011, Hunter et al., 2012, Hur et al., 2019, Ivanov et al., 2021, Im and Chee, 2011, Jauk et al., 2021, Jindal et al., 2018, Jung et al., 2020, Kang et al., 2018, Koleck et al., 2021, 2020, Korach et al., 2020, Ladios-Martin et al., 2020, Lee and Lin, 2020, Li and Mathews, 2017, Liao et al., 2015, Lin et al., 2014, Liu et al., 2018, Long et al., 2016, Lopes et al., 2013, Mairittha et al., 2019, Maitre et al., 2020, Martins et al., 2016, Marukami et al., 2012, Moen et al., 2020a,b, Mohammadi et al., 2020, Morita et al., 2018, Moskowitz et al., 2020, Narang et al., 2021, North et al., 2014, Oh et al., 2014, Ongenae et al., 2014, Parisi et al., 2018, Rantz et al., 2014, Romero-Brufau et al., 2021, Safavi et al., 2019, Sandhu et al., 2020, Setoguchi et al., 2016, Sikka et al., 2012, Singh et al., 2018, Skubic et al., 2015, Song et al., 2021, Soufi et al., 2018, Steurbaut et al., 2013, Subramaniam and Dass, 2021, Sullivan et al., 2019, Suominen et al., 2015, Tang et al., 2019, Tateno et al., 2020, Topaz et al., 2016, Topaz et al., 2019b, Unger et al., 2019, Vedanthan et al., 2015, Wang et al., 2021, Wang et al., 2015, Wang et al., 2018, Wojtusiak et al., 2021, Yokota et al., 2017, Yu et al., 2020, Zachariah et al., 2020, Zamzmi et al., 2019		
Advanced practice nurse	9	9.7
Bu et al., 2020, Gholami et al., 2012, Howarth et al., 2020, Hur et al., 2019, Jung et al., 2020; Koleck et al., 2021, 2020, Setoguchi et al., 2016, Steurbaut et al., 2013, Zachariah et al., 2020		
Physician	20	21.5
Bu et al., 2020, Cramer et al., 2019, Ginestra et al., 2019, Guidi et al., 2015, Howarth et al., 2020, Jauk et al., 2021, Jindal et al., 2018, Jung et al., 2020; Koleck et al., 2021, Liu et al., 2018, Long et al., 2016, Lopes et al., 2013, Moskowitz et al., 2020, Parisi et al., 2018, Safavi et al., 2019, Sandhu et al., 2020, Singh et al., 2018, Soufi et al., 2018, Steurbaut et al., 2013, Zachariah et al., 2020		
Other healthcare professionals	11	11.8
Ajay et al., 2016, Cooper et al., 2021, Devos et al., 2019, Jung et al., 2020; Koleck et al., 2021, Lin et al., 2014, Lopes et al., 2013, Nuutinen et al., 2020, Özcanhan et al., 2020, Topaz et al., 2019b		
Service user (patient/customer)	5	5.4
Alshurafa et al., 2017, Bian et al., 2020, Guidi et al., 2015, Long et al., 2016, Wang et al., 2015		
Family member to service user	3	3.2
Guidi et al., 2015, Jung et al., 2020, Wang et al., 2015		
User not specified	8	8.6
Hwang et al., 2021, Minvielle and Audiffren, 2019, Mufti et al., 2019, Shu and Shu, 2021, Su et al., 2019, Topaz et al., 2019a, Wellner et al., 2017, Wong et al., 2018		
Target patient group of AI	n	%
Newborn	4	4.3
Chun et al., 2021, Hunter et al., 2011, Hunter et al., 2012, Zamzmi et al., 2019		
Child	4	4.3
Annapragada et al., 2021, Back et al., 2016, Chun et al., 2021, Sikka et al., 2012		
Teenage (years 13–19)	2	2.2
Back et al., 2016, Ivanov et al., 2021		
Adult	32	34.3
Ajay et al., 2016, Aldaz et al., 2015, Alshurafa et al., 2017, Back et al., 2016, Barrera et al., 2020, Bian et al., 2020, Cramer et al., 2019, Ginestra et al., 2019, Guidi et al., 2015, Howarth et al., 2020, Hur et al., 2019, Ivanov et al., 2021, Im and Chee, 2011, Jung et al., 2020, Korach et al., 2020, Ladios-Martin et al., 2020, Liao et al., 2015, Long et al., 2016, Martins et al., 2016, Moen et al., 2020a,b, Mohammadi et al., 2020, Moskowitz et al., 2020, Narang et al., 2021, Oh et al., 2014, Romero-Brufau et al., 2021, Safavi et al., 2019, Setoguchi et al., 2016, Topaz et al., 2016, Wang et al., 2015, Wong et al., 2018, Zachariah et al., 2020		
Older adult (years 65+)	24	25.8
Aldaz et al., 2015, Devos et al., 2019, Gannod et al., 2019, Guidi et al., 2015, Howarth et al., 2020, Ivanov et al., 2021, Korach et al., 2020, Ladios-Martin et al., 2020, Maitre et al., 2020, Minvielle and Audiffren, 2019, Moen et al., 2020a,b, Mohammadi et al., 2020, Morita et al., 2018, Nuutinen et al., 2020, Oh et al., 2014, Ongenae et al., 2014, Shu and Shu, 2021, Skubic et al., 2015, Sullivan et al., 2019, Tang et al., 2019, Tateno et al., 2020, Wang et al., 2015, Wojtusiak et al., 2021		
Not specified	42	45.2
Bose et al., 2019, Bu et al., 2020, Cabri et al., 2020, Chu and Huang, 2020, Cooper et al., 2021, Fratzke et al., 2014, Gangavarapu et al., 2019, Gholami et al., 2012, Hwang et al., 2021, Jauk et al., 2021, Jindal et al., 2018, Kang et al., 2018; Koleck et al., 2021, Lee and Lin, 2020, Li and Mathews, 2017, Lin et al., 2014, Liu et al., 2018, Lopes et al., 2013, Mairittha et al., 2019, Marukami et al., 2012, Mufti et al., 2019, North et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Rantz et al., 2014, Sandhu et al., 2020, Singh et al., 2018, Song et al., 2021, Soufi et al., 2018, Steurbaut et al., 2013, Su et al., 2019, Subramaniam and Dass, 2021, Suominen et al., 2015, Topaz et al., 2019a, Topaz et al., 2019b, Unger et al., 2019, Vedanthan et al., 2015, Wang et al., 2021, Wang et al., 2018, Wellner et al., 2017, Yokota et al., 2017, Yu et al., 2020		

(Continued on next page)

Table 1 (Continued).

Validation methods	n	%
Performance evaluation measures	70	75.3
Annappagada et al., 2021, Alshurafa et al., 2017, Back et al., 2016, Barrera et al., 2020, Bose et al., 2019, Bu et al., 2020, Chu and Huang, 2020, Chun et al., 2021, Cooper et al., 2021, Cramer et al., 2019, Gangavarapu et al., 2019, Gannod et al., 2019, Gholami et al., 2012, Guidi et al., 2015, Hunter et al., 2012, Hur et al., 2019, Hwang et al., 2021, Ivanov et al., 2021, Jung et al., 2020, Kang et al., 2018; Koleček et al., 2021, Korach et al., 2020, Ladios-Martin et al., 2020, Lee and Lin, 2020, Liao et al., 2015, Lin et al., 2014, Liu et al., 2018, Lopes et al., 2013, Mairiththa et al., 2019, Maitre et al., 2020, Martins et al., 2016, Minvielle and Audiffren, 2019; Moen et al., 2020b, Mohammadi et al., 2020, Morita et al., 2018, Moskowitz et al., 2020, Mufti et al., 2019, Nuutinen et al., 2020, Oh et al., 2014, Ongenae et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Rantz et al., 2014, Romero-Brufau et al., 2021, Safavi et al., 2019, Setoguchi et al., 2016, Shu and Shu, 2021, Sikka et al., 2012, Singh et al., 2018, Song et al., 2021, Soufi et al., 2018, Steurbaut et al., 2013, Subramaniam and Dass, 2021, Sullivan et al., 2019, Suominen et al., 2015, Tang et al., 2019, Tateno et al., 2020, Topaz et al., 2016, Topaz et al., 2019a, Topaz et al., 2019b, Unger et al., 2019, Wang et al., 2021, Wang et al., 2015, Wellner et al., 2017 Wojtusiak et al., 2021, Wong et al., 2018, Yokota et al., 2017, Yu et al., 2020, Zachariah et al., 2020, Zamzmi et al., 2019		
User evaluation	18	19.4
Aldaz et al., 2015, Barrera et al., 2020, Devos et al., 2019, Fratzke et al., 2014, Ginestra et al., 2019, Howarth et al., 2020, Hunter et al., 2011, Hunter et al., 2012, Im and Chee, 2011 Jauk et al., 2021, Jindal et al., 2018, Long et al., 2016, Mairiththa et al., 2019, Marukami et al., 2012, Oh et al., 2014, Sandhu et al., 2020, Vedanthan et al., 2015, Wang et al., 2018		
Comparative evaluation (not including performance measures)	6	6.5
Ajay et al., 2016, Bian et al., 2020, Cabri et al., 2020, Li and Mathews, 2017, Moen et al., 2020a, Su et al., 2019		
Quality evaluation	3	3.2
Narang et al., 2021, North et al., 2014, Skubic et al., 2015		
Performance as evaluated by researchers	n	%
Functions as intended	75	79.8
Ajay et al., 2016, Aldaz et al., 2015, Annappagada et al., 2021, Back et al., 2016, Bose et al., 2019, Bu et al., 2020, Cabri et al., 2020, Chu and Huang, 2020, Chun et al., 2021, Cramer et al., 2019, Devos et al., 2019, Gangavarapu et al., 2019, Gannod et al., 2019, Guidi et al., 2015, Howarth et al., 2020, Hunter et al., 2011, Hunter et al., 2012, Hur et al., 2019, Hwang et al., 2021, Ivanov et al., 2021, Jauk et al., 2021, Jindal et al., 2018, Jung et al., 2020; Koleček et al., 2021, Korach et al., 2020, Ladios-Martin et al., 2020, Lee and Lin, 2020, Li and Mathews, 2017, Liao et al., 2015, Lin et al., 2014, Liu et al., 2018, Lopes et al., 2013, Mairiththa et al., 2019, Maitre et al., 2020, Marukami et al., 2012, Minvielle and Audiffren, 2019, Moen et al., 2020a,b, Mohammadi et al., 2020, Morita et al., 2018, Moskowitz et al., 2020, Narang et al., 2021, North et al., 2014, Nuutinen et al., 2020, Oh et al., 2014, Ongenae et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Rantz et al., 2014, Romero-Brufau et al., 2021, Safavi et al., 2019, Sandhu et al., 2020, Setoguchi et al., 2016, Shu and Shu, 2021, Sikka et al., 2012, Singh et al., 2018, Skubic et al., 2015, Song et al., 2021, Soufi et al., 2018, Steurbaut et al., 2013, Su et al., 2019, Subramaniam and Dass, 2021, Suominen et al., 2015, Tang et al., 2019, Tateno et al., 2020, Topaz et al., 2016, Topaz et al., 2019a, Topaz et al., 2019b, Unger et al., 2019, Vedanthan et al., 2015, Wang et al., 2021, Wang et al., 2018, Wojtusiak et al., 2021, Wong et al., 2018, Yu et al., 2020		
Shows promising potential	16	17.0
Alshurafa et al., 2017, Barrera et al., 2020, Bian et al., 2020, Cooper et al., 2021, Gholami et al., 2012, Im and Chee, 2011, Kang et al., 2018, Long et al., 2016, Martins et al., 2016, Mufti et al., 2019, Sullivan et al., 2019, Wang et al., 2015, Wellner et al., 2017, Yokota et al., 2017, Zachariah et al., 2020, Zamzmi et al., 2019		
Does not function as intended	2	2.1
Fratzke et al., 2014, Ginestra et al., 2019		

(Barrera et al., 2020; Hunter et al., 2012 & Mairiththa et al., 2019) or service users (Oh et al., 2014).

3.2. AI-based technologies applied to nursing

3.2.1. Descriptions of AI-based technologies

Although all AI-based technologies in this review were applied to nursing, other health professionals, including physicians and allied health workers, were also users of these technologies (as stated in Table 1). The largest targeted patient age groups were adults and older adults. Notably, nearly half of the studies did not specify a target age group. AI methods predominantly included machine learning methods, as illustrated in table 2. About 27% of the AI-methods were artificial neural networks, of which 15 studies utilized deep neural networks (i.e. deep learning) with an additional 9 studies that, based on the technology description, reviewers interpreted as utilizing deep learning. The data sources for training, testing and validating the AI-based technologies were electronic health records (51.6%), electronic questionnaires (9.7%), information systems (7.5%), sensors (22.6%) and cameras or image datasets (8.6%), with the data type being structured data ($n = 41$), unstructured data ($n = 38$) and images ($n = 14$).

As described in Table 3, applied AI techniques focused on predictive modeling (61.3%, $n = 57$), natural language processing (11.8%, $n = 11$), computer vision (15.1%, $n = 14$), speech recognition (7.5%, $n = 7$), or planning or scheduling (9.7%, $n = 9$), with 4.3% ($n = 4$) combining two or more techniques. Table 3 also presents

the different phases of AI technology development, with the development phase being the most predominant ($n = 55$, 59%). The targets of the technologies were primarily patient-related, with 25.5% ($n = 24$) of all research targeting monitoring the patient, 19.1% ($n = 18$) on health assessment, 14.9% ($n = 14$) on disease or outcome prediction, and 13.8% ($n = 13$) on risk identification or prediction.

We categorised the reported studies' outcomes into patient- and staff-related outcomes. Nearly 60% ($n = 53$) of all outcomes of interest were directly patient-related. The patient-related outcomes included physiological or pathophysiological ($n = 20$), physical or functional ($n = 13$), infections-related ($n = 8$), and psychological or cognitive outcomes ($n = 12$). The staff-related outcomes were automated reporting or documentation ($n = 24$) and nursing care organization ($n = 16$).

3.3.2. Evaluation of AI-based technologies in nursing

The dataset sample sizes in validation or evaluation of technologies varied from 1 to 1149,586, with the mean sample size decreasing as the stages of development evolved. This change is partly due to the large datasets used in the training and testing of the algorithms in the development phase, whereas, for example, clinical testing is performed with smaller samples. Two of the AI technologies were evaluated as “not functioning as intended” when reviewed by end users (Fratzke et al., 2014; Ginestra et al., 2019). However, the majority of the technologies presented in the articles

Data sources, data types and methods used to train, test and validate the Artificial Intelligence (AI) -based technologies.

[illegible]

(Continued on next page)

Table 2 (Continued).

Data source(n,%)	Data type (n)	AI methods (n)	Does the artificial neural network utilize deep learning?
Electronic questionnaire (9, 9.7%)	Structured data (9) Alshurafa et al., 2017 , Gannod et al., 2019 , Jindal et al., 2018 , Im and Chee, 2011 , Martins et al., 2016 , Ongenaie et al., 2014 , Sandhu et al., 2020 , Vedanthan et al., 2015 , Wang et al., 2018	Logistic regression (1) Gannod et al., 2019 Decision trees (3) Im and Chee, 2011 , Martins et al., 2016 , Ongenaie et al., 2014 Artificial neural network (1) Sandhu et al., 2020 Bayesian networks (1) Ongenaie et al., 2014 Undefined Machine Learning (2) Alshurafa et al., 2017 , Vedanthan et al., 2015 Method not described / no machine learning (2) Jindal et al., 2018 , Wang et al., 2018	Yes, certainly (1) Sandhu et al., 2020
Information system (7, 7.5%)	Structured data (3) Bose et al., 2019 , Parisi et al., 2018 , Sullivan et al., 2019 Unstructured data (3) Chun et al., 2021 , Liu et al., 2018 , Nuutinen et al., 2020 Images (1) Cabri et al., 2020	Decision trees (1) Sullivan et al., 2019 Other machine learning methods (1) Bose et al., 2019 Undefined machine learning (1) Parisi et al., 2018 Decision trees (1) Chun et al., 2021 K-nearest neighbor (1) Nuutinen et al., 2020 Other machine learning methods (1) Nuutinen et al., 2020 Undefined machine learning (1) Liu et al., 2018 Method not described / no machine learning (1) Cabri et al., 2020	
Sensors (21, 22.6%)	Structured data (4) Guidi et al., 2015 , Skubic et al., 2015 , Su et al., 2019 , Subramaniam and Dass, 2021 Unstructured data (13) Aldaz et al., 2015 , Bian et al., 2020 , Chu and Huang, 2020 , Devos et al., 2019 , Fratzke et al., 2014 , Mairittha et al., 2019 , Maitre et al., 2020 , Marukami et al., 2012 , Minvielle and Audiffren, 2019 , Morita et al., 2018 , Özcanhan et al., 2020 , Suominen et al., 2015 , Tateno et al., 2020 Images (4) Barrera et al., 2020 , Lee and Lin, 2020 , Narang et al., 2021 , Rantz et al., 2014	Decision trees (2) Guidi et al., 2015 , Skubic et al., 2015 Artificial neural network (2) Skubic et al., 2015 , Subramaniam and Dass, 2021 Support vector machine (1) Skubic et al., 2015 K-nearest neighbor (1) Skubic et al., 2015 Undefined machine learning (1) Su et al., 2019 Logistic regression (1) Morita et al., 2018 Decision trees (1) Morita et al., 2018 Artificial neural network (4) Maitre et al., 2020 , Minvielle and Audiffren, 2019 , Özcanhan et al., 2020 , Tateno et al., 2020 Support vector machine (1) Morita et al., 2018 Undefined machine learning (4) Bian et al., 2020 , Chu and Huang, 2020 , Mairittha et al., 2019 , Suominen et al., 2015 Method not described / no machine learning (4) Aldaz et al., 2015 , Devos et al., 2019 , Fratzke et al., 2014 , Marukami et al., 2012 Artificial neural network (2) Narang et al., 2021 , Lee and Lin, 2020 Method not described / no machine learning (2) Barrera et al., 2020 , Rantz et al., 2014	Yes, certainly (1) Subramaniam and Dass, 2021 Probably, based on technology description (1) Skubic et al., 2015 Yes, certainly (3) Maitre et al., 2020 , Minvielle and Audiffren, 2019 , Tateno et al., 2020 Probably, based on technology description (1) Özcanhan et al., 2020 Yes, certainly (2) Narang et al., 2021 , Lee and Lin, 2020
Camera / Image dataset (8, 8.6%)	Images (8) Hwang et al., 2021 , Wang et al., 2015 , Wang et al., 2021 , Shu and Shu, 2021 , Sikka et al., 2012 , Unger et al., 2019 , Yu et al., 2020 , Zamzmi et al., 2019	Logistic regression (1) Yu et al., 2020 Artificial neural network (3) Hwang et al., 2021 , Wang et al., 2021 , Yu et al., 2020 K-nearest neighbor (1) Wang et al., 2015 Undefined machine learning (3) Shu and Shu, 2021 , Sikka et al., 2012 , Zamzmi et al., 2019 Method not described / no machine learning (1) Unger et al., 2019	Yes, certainly (3) Hwang et al., 2021 , Wang et al., 2021 , Yu et al., 2020

* references to individual articles listed on the first row of the table are found on the rows below.

Table 3
Artificial intelligence (AI) -technologies presented by different development stages.

	AI development phase(n = 55, 59.1%)	AI formation (testing) phase(n = 28, 30.1%)	AI implementation phase (n = 9, 9.7%)	AI operational phase (1 1.1%)	Overall - all phases (n = 93, 100%)*
Applications of AI (n)	Predictive modeling (38) Back et al., 2016, Bose et al., 2019, Bu et al., 2020, Chun et al., 2021, Cooper et al., 2021, Cramer et al., 2019, Gangavarapu et al., 2019, Gannod et al., 2019, Gholami et al., 2012, Guidi et al., 2015, Hur et al., 2019, Im and Chee, 2011, Jung et al., 2020, Lee and Lin, 2020, Lin et al., 2014, Liu et al., 2018, Lopes et al., 2013, Maitre et al., 2020, Moen et al., 2020b, Mohammadi et al., 2020, Mufti et al., 2019, Nuutinen et al., 2020, Ongenae et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Romero-Brufau et al., 2021, Setoguchi et al., 2016, Singh et al., 2018, Soufi et al., 2018, Su et al., 2019, Sullivan et al., 2019, Tatenoe et al., 2020, Topaz et al., 2019b, Wellner et al., 2017, Wojtusiak et al., 2021, Wong et al., 2018, Yokota et al., 2017, Zachariah et al., 2020 Natural language processing (7) Annapragada et al., 2021, Ivanov et al., 2021; Koleck et al., 2021, Korach et al., 2020, Topaz et al., 2016, Topaz et al., 2019a, Yu et al., 2020 Computer vision (6) Aldaz et al., 2015, Li and Mathews, 2017, Shu and Shu, 2021, Sikka et al., 2012, Unger et al., 2019, Wang et al., 2015 Speech recognition (4) Aldaz et al., 2015, Fratzke et al., 2014, Marukami et al., 2012, Suominen et al., 2015 Planning/ scheduling (2) Aldaz et al., 2015, Steurbaut et al., 2013	Predictive modeling (13) Howarth et al., 2020, Ladios-Martin et al., 2020, Liao et al., 2015, Martins et al., 2016, Minvielle and Audiffren, 2019, Moskowitz et al., 2020, Narang et al., 2021, Safavi et al., 2019, Skubic et al., 2015, Song et al., 2021, Subramaniam and Dass, 2021, Tang et al., 2019, Wang et al., 2018 Natural language processing (4) Chu and Huang, 2020, Hunter et al., 2011, Hunter et al., 2012, Long et al., 2016 Computer vision (7) Barrera et al., 2020, Cabri et al., 2020, Hwang et al., 2021, Narang et al., 2021, Wang et al., 2021, Wang et al., 2018, Zamzmi et al., 2019 Speech recognition (3) Bian et al., 2020, Devos et al., 2019, Mairitha et al., 2019 Planning/ scheduling (4) Bian et al., 2020, Jindal et al., 2018, Moen et al., 2020a, Morita et al., 2018	Predictive modeling (5) Ajay et al., 2016, Ginestra et al., 2019, Kang et al., 2018, Oh et al., 2014, Sandhu et al., 2020 Computer vision (1) Rantz et al., 2014 Planning /Scheduling (3) Alshurafa et al., 2017, North et al., 2014, Vedanthan et al., 2015	Predictive modeling (1) Jauk et al., 2021	Predictive modeling (n = 57, 61.3%) Natural language processing (n = 11, 11.8%) Computer vision (n = 14, 15.1%) Speech recognition (n = 7, 7.5%) Planning/ scheduling (n = 9, 9.7%)
Technology targeted at (n)	Nursing care planning (4) Gannod et al., 2019, Nuutinen et al., 2020, Parisi et al., 2018, Wellner et al., 2017 Disease/outcome prediction (8) Back et al., 2016, Chun et al., 2021, Cooper et al., 2021, Cramer et al., 2019, Lin et al., 2014, Mufti et al., 2019, Setoguchi et al., 2016, Steurbaut et al., 2013 Health assessment (12) Annapragada et al., 2021, Bu et al., 2020, Ivanov et al., 2021, Im and Chee, 2011, Lopes et al., 2013, Ongenae et al., 2014, Sikka et al., 2012, Singh et al., 2018, Soufi et al., 2018, Topaz et al., 2016, Wang et al., 2015, Yu et al., 2020 Risk identification / prediction (9) Hur et al., 2019, Jung et al., 2020, Korach et al., 2020, Mohammadi et al., 2020, Özcanhan et al., 2020, Sullivan et al., 2019, Wong et al., 2018, Yokota et al., 2017, Zachariah et al., 2020 Detection / tracking / monitoring (9) Gholami et al., 2012, Guidi et al., 2015, Lee and Lin, 2020, Maitre et al., 2020, Romero-Brufau et al., 2021, Shu and Shu, 2021, Su et al., 2019, Tatenoe et al., 2020, Wojtusiak et al., 2021 Documentation (11) Aldaz et al., 2015, Bose et al., 2019, Fratzke et al., 2014, Gangavarapu et al., 2019; Koleck et al., 2021; Liu et al., 2018, Liu et al., 2018, Marukami et al., 2012, Moen et al., 2020b, Suominen et al., 2015, Topaz et al., 2019a, Topaz et al., 2019b Hands free operation (2) Li and Mathews, 2017, Unger et al., 2019	Nursing care planning (1) Tang et al., 2019 Disease/outcome prediction (2) Safavi et al., 2019, Wang et al., 2021 Health assessment (6) Devos et al., 2019, Liao et al., 2015, Martins et al., 2016, Narang et al., 2021, Subramaniam and Dass, 2021, Zamzmi et al., 2019 Risk identification / prediction (2) Ladios-Martin et al., 2020, Song et al., 2021 Detection / tracking / monitoring (12) Barrera et al., 2020, Bian et al., 2020, Cabri et al., 2020, Chu and Huang, 2020, Howarth et al., 2020, Hwang et al., 2021, Jindal et al., 2018, Long et al., 2016, Minvielle and Audiffren, 2019, Morita et al., 2018, Moskowitz et al., 2020, Skubic et al., 2015 Documentation (5) Hunter et al., 2011, Hunter et al., 2012, Mairitha et al., 2019, Moen et al., 2020a, Wang et al., 2018	Disease/outcome prediction (4) Alshurafa et al., 2017, Ginestra et al., 2019, Oh et al., 2014, Sandhu et al., 2020 Risk identification / prediction (1) Kang et al., 2018 Detection / tracking / monitoring (3) Ajay et al., 2016, Rantz et al., 2014, Vedanthan et al., 2015 Documentation (1) North et al., 2014	Risk identification/ prediction (1) Jauk et al., 2021	Nursing care planning (n = 5, 5.3%), Disease/outcome prediction (n = 14, 14.9%) Health assessment (n = 18, 19.1%) Risk identification / prediction (n = 13, 13.8%) Monitoring (n = 24, 25.5%) Documentation (n = 17, 18.1%) Hands free operation (n = 2, 2.1%)

(Continued on next page)

Table 3 (Continued).

	AI development phase(n = 55, 59.1%)	AI formation (testing) phase(n = 28, 30.1%)	AI implementation phase (n = 9, 9.7%)	AI operational phase (1 1.1%)	Overall - all phases (n = 93, 100%)*
Patient-related outcomes of interest (n)	Physiological / Pathophysiological (12): Pressure ulcer information (3) Chun et al., 2021 , Cramer et al., 2019 , Setoguchi et al., 2016 Wound information (2) Li and Mathews, 2017 , Wang et al., 2015 Patient deterioration (3) Korach et al., 2020 , Romero-Brufau et al., 2021 , Wellner et al., 2017 Congestive heart failure (1) Guidi et al., 2015 Blood pressure (1) Su et al., 2019 Urine elimination (1) Lopes et al., 2013 Mortality (1) Sullivan et al., 2019	Physiological / Pathophysiological (6): Pressure ulcer information (3) Ladios-Martin et al., 2020 , Song et al., 2021 , Wang et al., 2021 Wound information (1) Wang et al., 2018 Hypertension (1) Jindal et al., 2018 Health decline (1) Skubic et al., 2015	Physiological / Pathophysiological (2): Diabetes (2) Ajay et al., 2016 , Vedanthan et al., 2015	Physiological / Pathophysiological (0)	Physiological / Pathophysiological (n = 20, 21.5%): Pressure ulcer information (6) Wound information (3) Patient deterioration (3) Diabetes (2) Congestive heart failure (1), Blood pressure (1) Urine elimination (1) Mortality (1) Hypertension (1) Health decline (1)
	Physical / Functional (9): Patient fall (7) Jung et al., 2020 , Maitre et al., 2020 , Özcanhan et al., 2020 , Shu and Shu, 2021 , Tateno et al., 2020 , Topaz et al., 2019b , Yokota et al., 2017 Patient activity (1) Wojtusiak et al., 2021 Abuse (1) Annapragada et al., 2021	Physical / Functional (3): Patient fall (1) Moskowitz et al., 2020 Patient activity (1) Minvielle and Audiffren, 2019 Sedentary lifestyle (1) Martins et al., 2016	Physical / Functional (1): Patient fall (1) Rantz et al., 2014	Physical / Functional (0)	Physical / Functional (n = 13, 14.0%): Patient fall (9) Patient activity (2) Abuse (1) Sedentary lifestyle (1)
	Infections (5): Sepsis (2) Back et al., 2016 , Cooper et al., 2021 Urinary tract infection (2) Hur et al., 2019 , Zachariah et al., 2020 Touchless interaction to decrease infections (1) Unger et al., 2019	Infections (1): Acute kidney infection (1) Howarth et al., 2020	Infections (2): Sepsis (2) Ginestra et al., 2019 , Sandhu et al., 2020	Infections (0)	Infections (n = 8, 8.6%): Sepsis (4), Urinary tract infection (2), Touchless interaction to decrease infections (1), Acute kidney infection (1)
	Psychological/ cognitive (5): Pain (2) Im and Chee, 2011 , Sikka et al., 2012 Delirium (2) Mufti et al., 2019 , Wong et al., 2018 Sedation (1) Gholami et al., 2012	Psychological/ cognitive (4): Pain (2) Subramaniam and Dass, 2021 , Zamzmi et al., 2019 Cognitive state (1) Devos et al., 2019 Sleep (1) Barrera et al., 2020	Psychological/ cognitive (2): Delirium (1) Oh et al., 2014 Behavioral changes (1) Alshurafa et al., 2017	Psychological/ cognitive (1): Delirium (1) Jauk et al., 2021	Psychological/ cognitive (n = 12, 12.9%): Pain (4) Delirium (4), Sedation (1), Cognitive state (1), Sleep (1) Behavioral changes (1)

(Continued on next page)

Table 3 (Continued).

	AI development phase(n = 55, 59.1%)	AI formation (testing) phase(n = 28, 30.1%)	AI implementation phase (n = 9, 9.7%)	AI operational phase (1 1.1%)	Overall - all phases (n = 93, 100%)*
Staff-related outcomes of interest (n)	Automated reporting/ documentation (13): Overall documentation (8) Aldaz et al., 2015, Bose et al., 2019, Fratzke et al., 2014, Gangavarapu et al., 2019, Liu et al., 2018, Marukami et al., 2012, Moen et al., 2020b, Suominen et al., 2015 Documentation of wound information (1) Topaz et al., 2016 Symptom vocabulary (2) Koleck et al., 2021; Topaz et al., 2019a Extravasation of intravenous infusion (1) Lee and Lin, 2020 Data retrieval (1) Steurbaut et al., 2013 Nursing care organization (11): Priority assessments in triage (6) Bu et al., 2020, Ivanov et al., 2021, Ongene et al., 2014, Singh et al., 2018, Soufi et al., 2018, Yu et al., 2020 Patient discharge (1) Parisi et al., 2018 Patient preferences (1) Gannod et al., 2019 Returns to hospital (2) Lin et al., 2014, Mohammadi et al., 2020 Patient admission (1) Nuutinen et al., 2020	Automated reporting/ documentation (9): Overall documentation (3) Mairittha et al., 2019, Moen et al., 2020a, Morita et al., 2018 Image information (3) Cabri et al., 2020, Hwang et al., 2021, Narang et al., 2021 Medication lists (1) Long et al., 2016 Shift summaries (2) Hunter et al., 2011, Hunter et al., 2012 Nursing care organization (5): Patient discharge (1) Safavi et al., 2019 Care strategies (1) Tang et al., 2019 Diagnosis (1) Liao et al., 2015 Patient follow-up (1) Bian et al., 2020 Object location (1) Chu and Huang, 2020	Automated reporting/ documentation (2): Overall documentation (1) North et al., 2014 Medication risk (1) Kang et al., 2018 Nursing care organization (0)	Automated reporting/ documentation (0) Nursing care organization (0)	Automated reporting/ documentation (n = 24, 25.8%): Overall documentation (12) Image information (3), Documentation of wound information (1) Symptom vocabulary (2) Extravasation of intravenous infusion (1) Data retrieval (1) Medication lists (1) Shift summaries (2) Medication risk (1) Nursing care organization (n = 16, 17.2%): Patient triage (6) Patient discharge (2) Patient preferences (1) Returns to hospital (2) Patient admission (1) Care strategies (1) Diagnosis (1) Patient follow-up (1) Object location (1)
Mean/median sample size in validation or evaluation	87,973 / 756	5579 / 63.5	1199 / 37	47 / 47	51,951 / 287

(Continued on next page)

Table 3 (Continued).

	AI development phase(n = 55, 59.1%)	AI formation (testing) phase(n = 28, 30.1%)	AI implementation phase (n = 9, 9.7%)	AI operational phase (1 1.1%)	Overall - all phases (n = 93, 100%)*
Are ethical issues discussed in paper? (%)	IRB approval stated (61.8%) Aldaz et al., 2015, Annapragada et al., 2021, Back et al., 2016, Bose et al., 2019, Chun et al., 2021, Cooper et al., 2021, Fratzke et al., 2014, Guidi et al., 2015, Hur et al., 2019, Ivanov et al., 2021, Jung et al., 2020; Koleček et al., 2021, Li and Mathews, 2017, Lopes et al., 2013, Maitre et al., 2020, Moen et al., 2020b, Mufti et al., 2019, Nuutinen et al., 2020, Sikka et al., 2012, Singh et al., 2018, Soufi et al., 2018, Su et al., 2019, Sullivan et al., 2019, Suominen et al., 2015, Tateno et al., 2020, Topaz et al., 2016, Topaz et al., 2019a, Wang et al., 2015, Wellner et al., 2017, Wojtusiak et al., 2021, Wong et al., 2018, Yokota et al., 2017, Yu et al., 2020, Zachariah et al., 2020	IRB approval stated (35.7%) Bian et al., 2020, Cabri et al., 2020, Devos et al., 2019, Howarth et al., 2020, Jindal et al., 2018, Ladios-Martin et al., 2020, Martins et al., 2016, Moen et al., 2020a, Narang et al., 2021, Skubic et al., 2015	IRB approval stated (88.9%) Ajay et al., 2016, Ginestra et al., 2019, Kang et al., 2018, North et al., 2014, Oh et al., 2014, Rantz et al., 2014, Sandhu et al., 2020, Vedanthan et al., 2015	IRB approval stated (100%) Jauk et al., 2021	IRB approval stated (57.0%)
	Ethical issues discussed (27.3%) Aldaz et al., 2015, Chun et al., 2021, Guidi et al., 2015, Gholami et al., 2012, Hur et al., 2019, Im and Chee, 2011, Jung et al., 2020, Li and Mathews, 2017, Lin et al., 2014, Nuutinen et al., 2020, Shu and Shu, 2021, Singh et al., 2018, Tateno et al., 2020, Wojtusiak et al., 2021, Wong et al., 2018	Ethical issues discussed (14.3%) Hunter et al., 2012, Morita et al., 2018, Narang et al., 2021, Tang et al., 2019	Ethical issues discussed (0%)	Ethical issues discussed (0%)	Ethical issues discussed (19.4%)
	No ethical discussion or IRB approval (30.9%) Bu et al., 2020, Cramer et al., 2019, Gangavarapu et al., 2019, Gannod et al., 2019, Korach et al., 2020, Lee and Lin, 2020, Liu et al., 2018, Marukami et al., 2012, Mohammadi et al., 2020, Ongenae et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Romero-Brufau et al., 2021, Setoguchi et al., 2016, Steurbaut et al., 2013, Topaz et al., 2019b, Unger et al., 2019	No ethical discussion or IRB approval (53.4%) Barrera et al., 2020, Chu and Huang, 2020, Hunter et al., 2011, Hwang et al., 2021, Liao et al., 2015, Long et al., 2016, Mairittha et al., 2019, Minvielle and Audiffren, 2019, Moskowitz et al., 2020, Safavi et al., 2019, Song et al., 2021, Subramaniam and Dass, 2021, Wang et al., 2021, Wang et al., 2018, Zamzmi et al., 2019	No ethical discussion or IRB approval (11.1%) Alshurafa et al., 2017	No ethical discussion or IRB approval (0%)	No ethical discussion or IRB approval (36.6%)
Nurse participation in research (%)	Yes (54.5%) Aldaz et al., 2015, Back et al., 2016, Bose et al., 2019, Cooper et al., 2021, Cramer et al., 2019, Fratzke et al., 2014, Hur et al., 2019, Ivanov et al., 2021, Im and Chee, 2011, Jung et al., 2020; Koleček et al., 2021, Korach et al., 2020, Li and Mathews, 2017, Lin et al., 2014, Lopes et al., 2013, Marukami et al., 2012, Moen et al., 2020b, Setoguchi et al., 2016, Sikka et al., 2012, Su et al., 2019, Sullivan et al., 2019, Suominen et al., 2015, Topaz et al., 2016, Topaz et al., 2019a, Topaz et al., 2019b, Wellner et al., 2017, Wong et al., 2018, Yokota et al., 2017, Yu et al., 2020, Zachariah et al., 2020	Yes (78.6%) Barrera et al., 2020, Bian et al., 2020, Cabri et al., 2020, Howarth et al., 2020, Hunter et al., 2011, Hunter et al., 2012, Jindal et al., 2018, Ladios-Martin et al., 2020, Liao et al., 2015, Long et al., 2016, Mairittha et al., 2019, Martins et al., 2016, Moen et al., 2020a, Moskowitz et al., 2020, Narang et al., 2021, Safavi et al., 2019, Skubic et al., 2015, Song et al., 2021, Tang et al., 2019, Wang et al., 2021, Wang et al., 2018, Zamzmi et al., 2019	Yes (100%) Ajay et al., 2016, Alshurafa et al., 2017, Ginestra et al., 2019, Kang et al., 2018, North et al., 2014, Oh et al., 2014, Rantz et al., 2014, Sandhu et al., 2020, Vedanthan et al., 2015	Yes (100%) Jauk et al., 2021	Yes (66.7%)
	Not indicated (45.5%) Annapragada et al., 2021, Bu et al., 2020, Chun et al., 2021, Gangavarapu et al., 2019, Gannod et al., 2019, Gholami et al., 2012, Guidi et al., 2015, Lee and Lin, 2020, Liu et al., 2018, Maitre et al., 2020, Mohammadi et al., 2020, Mufti et al., 2019, Nuutinen et al., 2020, Ongenae et al., 2014, Özcanhan et al., 2020, Parisi et al., 2018, Romero-Brufau et al., 2021, Shu and Shu, 2021, Singh et al., 2018, Soufi et al., 2018, Steurbaut et al., 2013, Tateno et al., 2020, Unger et al., 2019, Wang et al., 2015, Wojtusiak et al., 2021	Not indicated (21.4%) Chu and Huang, 2020, Devos et al., 2019, Hwang et al., 2021, Minvielle and Audiffren, 2019, Morita et al., 2018, Subramaniam and Dass, 2021	Not indicated (0%)	Not indicated (0%)	Not indicated (33.3%)

(Continued on next page)

Table 3 (Continued).

	AI development phase(n = 55, 59.1%)	AI formation (testing) phase(n = 28, 30.1%)	AI implementation phase (n = 9, 9.7%)	AI operational phase (1 1.1%)	Overall - all phases (n = 93, 100%)*
How were the persons with nursing background involved in the development or evaluation of the technology? (n)	Co-writers (23) Back et al., 2016, Bose et al., 2019, Cooper et al., 2021, Fratzke et al., 2014, Hur et al., 2019, Ivanov et al., 2021, Im and Chee, 2011, Jung et al., 2020; Koleck et al., 2021, Korach et al., 2020, Li and Mathews, 2017, Lopes et al., 2013, Moen et al., 2020b, Setoguchi et al., 2016, Su et al., 2019, Sullivan et al., 2019, Topaz et al., 2016, Topaz et al., 2019a, Topaz et al., 2019b, Wellner et al., 2017, Yokota et al., 2017, Yu et al., 2020, Zachariah et al., 2020	Co-writers (8) Cabri et al., 2020, Ladios-Martin et al., 2020, Martins et al., 2016, Moen et al., 2020a, Moskowitz et al., 2020, Skubic et al., 2015, Song et al., 2021, Wang et al., 2021	Co-writers (5) Alshurafa et al., 2017, Ginestra et al., 2019, Kang et al., 2018, Oh et al., 2014, Rantz et al., 2014	Co-writers (0)	Co-writers (36)
	User evaluators (2) Aldaz et al., 2015, Marukami et al., 2012	User evaluators (7) Barrera et al., 2020, Howarth et al., 2020, Hunter et al., 2011, Hunter et al., 2012, Jindal et al., 2018, Long et al., 2016, Wang et al., 2018	User evaluators (3) Ginestra et al., 2019, Oh et al., 2014, Sandhu et al., 2020	User evaluators (1) Jauk et al., 2021	User evaluators (13)
	Advisors (4) Aldaz et al., 2015, Cramer et al., 2019, Fratzke et al., 2014, Wong et al., 2018	Advisors (5) Bian et al., 2020, Liao et al., 2015, Mairitha et al., 2019, Safavi et al., 2019, Zamzmi et al., 2019	Advisors (1) Ajay et al., 2016	Advisors (0)	Advisors (10)
	Study participants (3) Lin et al., 2014, Sikka et al., 2012, Suominen et al., 2015	Study participants (3) Cabri et al., 2020, Narang et al., 2021, Tang et al., 2019	Study participants (2) North et al., 2014, Vedanthan et al., 2015	Study participants (0)	Study participants (8)

* references to individual articles listed in the last column of the table are found in the previous columns.

were evaluated by their developers as “functioning as intended” ($n = 75$, 79.8%) or showing promising potential ($n = 16$, 17.0%).

3.3.3. Nurses’ participation and ethical issues in reported research

As presented in Table 3, over two-thirds of the articles stated having an IRB approval. The majority of the articles did not further discuss research ethical considerations. Only one of the articles included a broader discussion on research ethics and none of the articles addressed the ethical considerations of using AI in nursing. The involvement of nurses in the studies as co-writers ($n = 36$), evaluators ($n = 13$), advisors ($n = 10$) or study participants (8) grew the more advanced the AI technology phase was, going from 54.5% ($n = 30$) involvement in the AI development phase to 100% ($n = 10$) in the AI implementation and AI operational phase. As shown in Table 3, the further the technologies were developed the less ethics were discussed, apart from stating having an IRB approval: none of the studies in the AI implementation ($n = 9$) or AI operational phase ($n = 1$) addressed ethical considerations concerning the specifics of research ethics, nor were broader discussions of ethical considerations related to application and potential impact on staff, patients, and the nurse-patient relationship seen.

4. Discussion

This scoping review presented a large scope of AI-based technologies for nursing that have been developed during the last decade, with the majority of research being in the AI development phase. The most used technology was predictive analytics utilizing different machine learning methods. The technologies were predominantly evaluated as working as intended or showing potential by their developers. However, only four of the studies addressed the relationship between technological functionality and end user perception by combining performance evaluation with user evaluations. Additionally, the potential clinical value of these technologies was not yet validated, even though previous evidence shows that all technologies do not necessarily work as intended when introduced in the clinical work. An established example is the external validation of EPICs EHR proprietary sepsis risk model (Habib et al., 2021): a commonly used prediction model implemented in hundreds of US hospitals. The performance measurements of this sepsis model were proved to be lower than the initial measures reported by the developers; in the development phase, the model achieved an area under the curve (AUC), an aggregate measure of performance, of 0.76 to 0.83 compared to an AUC of 0.63 when actually applied across multiple hospitals. Additionally, the results suggested that the prediction performance was in fact poor, leaving 67% of patients with sepsis unidentified. (Wong et al., 2021.)

Even if AI performance is adequate, the use of the technology might introduce problems not anticipated by the developers. For example, one study conducted an external validation for a prediction tool developed to estimate human immunodeficiency virus infection (HIV) amongst men who have sex with men. Although the tool’s diagnostic prediction performance proved to be effective, it discriminated against persons with high HIV infection risk by overestimating their predictive HIV infection probability. (Luo et al., 2019.) These examples, along with other instances of rapid implementation of largely untested technologies (Cummings et al., 2021; Singh et al., 2021), set a concerning precedent and run counter to recommendations for evidence-based health informatics by groups such as the International Medical Informatics Association (Fernandez-Luque et al., 2021). For nursing, it also might suggest a need for guidelines for clinical nurses on safe adoption of such innovations and reiterate the need for basic minimum knowledge on the development and use of AI-based technologies as a tool for nursing practice (Ronquillo et al., 2021). Additionally, as nurses play a vital role in adopting new technologies in healthcare,

a need to address and understand the deeply rooted, complex phenomenon of nurses’ attitudes towards the use of these technologies is evident (Rababah et al., 2021). The technologies in this scoping review were targeted at predicting, assessing, identifying, or monitoring different patient-related outcomes, with patient falls, wound and pressure ulcer information being the most common individual outcomes. Other frequent outcomes identified in the research were automated reporting and documentation, as well as nursing care organization, such as triage priority assessment. The results show the diversity of research in AI-based technologies in nursing. However, they also bring light to some relevant issues concerning the conduct and reporting of this type of research. In this scoping review, we presented outcomes as the end result of the technologies instead of outcomes measuring the effectiveness of the technologies. From a nursing standpoint, the targeted outcome of all researched technologies was to reduce nurses’ workload; however, the fulfillment of this objective was not evaluated in any of the articles. This review shows that AI research applicable to nursing lacks comprehensive evaluation of outcomes regarding, for example, the quality of care, patient satisfaction, impact on nursing care, caregiver burden, professional guideline compliance or economic aspects (Krick et al., 2020); thus, lacking a description of the relevance of the developed AI technologies to clinical nursing.

The results from this study also confirm previous findings (Zhou et al., 2021) indicating the sparsity nurses involved in the AI development. If the inclusion of nurses and nursing scientists in the early development and analysis phases of the process is ensured, the technologies developed might be more user-centered, address the issues arising in clinical nursing more rigorously, and be a better representation of the clinical reality. However, the varying writing structures and reporting methods were also an issue found in studies that identified collaborators with nursing backgrounds. Research methodology literature guiding study designs was not prominently visible in the majority of the included articles, specifically on the used sampling methods and analytics techniques, and a clear description of the study aim was absent in nearly half of the articles.

These findings indicate a lack of commonly accepted frameworks for reporting AI technologies in nursing research. It is noteworthy that 7.5% ($n = 7$) of studies did not specify the intended setting, 8.6% ($n = 8$) the intended user, and 45.2% ($n = 42$) the intended target age group. This raises the risks of not knowing enough about the end users or target population which can lead to using biased or inapt data in the training and validation of AI-based technologies as well as, introducing barriers to AI technology implementation. It is imperative that nurses utilizing these technologies are aware of the potential risks and unintended consequences when interpreting outcomes provided by them (Ronquillo et al., 2021). To prevent this, efforts have been made to develop reporting guidelines for AI-based technologies in medical research, from development and validation to testing and regulatory phase (Campbell et al., 2020). However, a need for nursing-specific reporting guidelines is evident.

The vast majority of studies used convenience sampling or purposeful sampling, with the majority of studies using electronic health records or information systems as their source of research data. However, it has been stated that nurses all over the world, being one of the main providers of this type of data, are not satisfied with the usability, interoperability or functionality of the electronic health record systems they use. These systems are perceived as not being nurse-specific and failing to meet nurses’ clinical needs, for example lacking nursing terminologies (Topaz et al., 2017). Large-scale information technology implementations, such as electronic health records, have also been shown to increase the cognitive workload of nurses, bringing light to the relation between successful implementation, computer attitude scores of

the nurses and the difficulties nurses may experience in learning computer-based technologies (Parthasarathy et al., 2018). As such, it is possible that nursing data and documentation in electronic health records are not as complete and comprehensive as they should be. Following this, using inapt, imbalanced, skewed or possibly biased electronic health care record data can result in a generation of skewed and inadequate AI technologies. This may also negatively impact population groups poorly represented in these data (Chen et al., 2021). It is noteworthy to point out that the healthcare context varies across countries and continents and this has an impact on electronic health record systems used and applications of AI technologies in nursing. Electronic health records are not uniformly used for national and international care, differing for example in data structure and data inputs (Bonomi, 2016). Also, regulation on secondary use of data varies and influences possibilities for AI technology development. The data in this review were collected in various settings on five continents. But more research is needed to explain the association of the environment on applications of AI in nursing.

The quality of documentation becomes a pertinent consideration for both researchers using and selecting data to train machine learning algorithms, but also for healthcare professionals collecting the data used in AI-based technologies in nursing. It also underlines the importance of providing all nurse professionals and nurse students with basic knowledge of these technologies, the impacts they have on nursing professionals and nonetheless the impact the nursing professionals have on the technologies they use (Ronquillo et al., 2021). Integrating nursing informatics competencies into professional nursing education and providing knowledge and skills in all levels of nursing practise is imperative (Staggers et al., 2002). These competencies should include knowledge of the tools in use, the role of data in these technologies, the impact they can have in safe nursing care and the ethical, legal, professional and regulatory requirements these tools bring (American Association of Colleges of Nursing, 2021).

Despite the positive potential of AI, the complex ethical concerns of introducing it into nursing should be considered explicitly (Peirce et al., 2020). The lack of discussion regarding ethics and AI in nursing in the included articles raises concerns, as a total of 36.6% of the articles lacked ethical discussion altogether and none of the articles addressed the ethical issues concerning using AI in nursing. To meet the ethical standards of quality nursing care, AI-based technologies in nursing should be developed to support the core values of nursing, improve interpersonal care, and promote the ethics of caring (Stokes and Palmer, 2020). Furthermore, using electronic health records and other large data collections is not morally neutral, as it poses ethical questions related to patient privacy and autonomy, possible harm and justice (Peirce et al., 2020). The absence of algorithm transparency endangers the ethical integrity and trust of the nurse using these technologies (Robert, 2019).

The limitations of this study are related to the nature of the scoping review process; for example, not conducting a quality assessment of the articles included (Levac et al., 2010). However, quality assessment criteria traditionally used in nursing studies do not necessarily work well when assessing technological articles due to different writing structures and reporting principles. Furthermore, excluding gray literature and leaving out conference papers, admitting only articles written in English and utilizing only one technical database in the literature search could result in missing relevant articles.

Future research is required to illuminate the impact AI-based technologies have on nursing, including the implementation and clinical outcomes. A standardized method of reporting AI-based studies, especially within nursing, may also be necessary to improve the quality of information collected and presented regard-

ing AI healthcare technologies. Research on how qualitative data are being integrated and used for training the AI models is also needed. Further discussion on ethical aspects of use of AI in nursing is needed, both in evaluating the impact of AI-based technologies on individuals and nursing care, but also on the ethical concerns regarding the research of AI-based technologies. It would also be beneficial to review the use of nursing theories as a foundation in conducting research and developing AI-based technologies in nursing. Future research should also explore nurses' attitudes towards AI and their acceptance of AI technologies in the clinical setting. Furthermore, the need for implementing nursing informatics and determining AI competency in all levels of nursing education is evident. Further research is needed in assessing the current competence of nurses, as well as evaluating the level of education and provision of knowledge on AI-based technologies in nursing. Lastly, there remains a need to determine the professional special expertise role of nurses in developing and implementing AI-based technologies in clinical nursing.

5. Conclusions

The scoping review summarized the development of AI-based technologies in nursing. The majority of the technologies were evaluated as working as intended; however, it is evident that there is a research gap between evaluating the implementation and the clinical outcomes of these technologies. Additionally, the quality of study results reporting is relatively low and needs to be improved. Collaboration among nurses, nurse informaticists, and nursing researchers on all the phases of the technology development process could result in more cohesive research efforts; however, there remains a need for developing and adopting mutually endorsed reporting guidelines for AI in nursing research. Education on nurse informatics for all nursing professionals and students is imperative, and basic knowledge of AI-based technologies in nursing should be incorporated on all professional levels. This scoping review lays groundwork to the future education, research and clinical implementation of AI-based technologies in nursing.

Declaration of Competing Interest

None.

Acknowledgments

This article was a collaboration within a nursing informatics network and was conducted in multi-professional teams. All the authors have connection to nursing informatics, as well as backgrounds as registered nurses, public health nurses and/or computer engineering.

Author contributions: Conceptualization HvG, LMP, MT, LP, CER, HM, MM; Data curation HvG, LMP, MAO, CER, MH, LP, RN, JM, LB, MM, HM; Formal analysis HvG, LMP, HM; Funding acquisition LMP, RN, LP, CC, CER, MT, HD; Investigation HvG; Methodology HvG, LMP, LP, MT, CER, MAO; Project administration HvG, LMP; Resources; Software used was Covidence by University of Toronto access by CC, library services used University of Turku, University of British Columbia, University of Minnesota, University of Keele, Columbia University; Supervision LMP; Visualization HvG, LMP; Roles/Writing - original draft HvG, LMP; Writing - review & editing HvG, LMP, MT, LP, CER, HM, MH, MAO, MM, CC, HD, RN, JM, LB.

This work was supported by The Finnish Nursing Education Foundation sr., the Academy of Finland (315376), and the Brocher Fondation. The Brocher Foundation's mission is to encourage research on the ethical, legal and social implications of new medical technologies. Its main activities are to host visiting researchers

and to organize symposia, workshops and summer or winter academies. More information on the Brocher Foundation program is available at www.brocher.ch Ms. Hobensack is supported by the National Institute for Nursing Research training grant Reducing Health Disparities through Informatics (RHeaDI) (T32NR007969) as a predoctoral trainee.

Supplementary materials

Supplementary material associated with this article can be found, in the online version, at [doi:10.1016/j.ijnurstu.2021.104153](https://doi.org/10.1016/j.ijnurstu.2021.104153).

References

- AI HLEG: High-Level Expert Group on Artificial intelligence, 2019. A Definition of AI: Main Capabilities and Disciplines [Ebook]. European Commission, Brussels: Retrieved from <https://www.aepd.es/sites/default/files/2019-12/ai-definition.pdf>
- Ajay, V.S., Jindal, D., Roy, A., Venugopal, V., Sharma, R., Pawar, A., Kinra, S., Tandon, N., Prabhakaran, D., 2016. Development of a smartphone-enabled hypertension and diabetes mellitus management package to facilitate evidence-based care delivery in primary healthcare facilities in India: the mpower heart project. *J. Am. Heart Assoc.* 5 (12), e004343. doi:10.1161/JAHA.116.004343.
- Aldaz, G., Shluzas, L.A., Pickham, D., Eris, O., Sadler, J., Joshi, S., Leifer, L., 2015. Hands-free image capture, data tagging and transfer using Google Glass: a pilot study for improved wound care management. *PloS one* 10 (4), e0121179. doi:10.1371/journal.pone.0121179.
- Alshurafa, N., Sideris, C., Pourhomayoun, M., Kalantarian, H., Sarrafzadeh, M., Eastwood, J.N., 2017. Remote health monitoring outcome success prediction using baseline and first month intervention data. *IEEE J. Biomed. Health Inform.* 21 (2), 507–514. doi:10.1109/JBHI.2016.2518673.
- American Association of Colleges of Nursing, 2021. American Association of Colleges of Nursing, The essentials: Core competencies For Professional Nursing Education URL <https://www.aacnursing.org/Portals/42/AcademicNursing/pdf/Essentials-2021.pdf>
- Annapragada, A.V., Donaruma-Kwoh, M.M., Starosolski, Z.A., 2021. A natural language processing and deep learning approach to identify child abuse from pediatric electronic medical records. *PloS One* 16 (2), e0247404. doi:10.1371/journal.pone.0247404.
- Arksey, L., O'Malley, L., 2005. Scoping studies: towards a methodological framework. *Int. J. Soc. Res. Methodol.* 8, 19–32. doi:10.1080/1364557032000119616.
- Back, J.S., Jin, Y., Jin, T., Lee, S.M., 2016. Development and validation of an automated sepsis risk assessment system. *Res. Nurs. Health* 36 (5), 317–327. doi:10.1002/nur.21734.
- Barrera, A., Gee, C., Wood, A., Gibson, O., Bayley, D., Geddes, J., 2020. Introducing artificial intelligence in acute psychiatric inpatient care: qualitative study of its use to conduct nursing observations. *Evid. Based Ment. Health.* 23 (1), 34–38. doi:10.1136/ebmental-2019-300136.
- Bian, Y., Xiang, Y., Tong, B., Feng, B., Weng, X., 2020. Artificial intelligence-assisted system in postoperative follow-up of orthopedic patients: exploratory quantitative and qualitative study. *J. Med. Internet Res.* 22 (5), e16896. doi:10.2196/16896.
- Bonomi, S., 2016. The electronic health record: a comparison of some European countries. In: Harfouche, A., Ricciardi, F. (Eds.), *Information and Communication Technologies in Organizations and Society. Past, present, and Future Issues*. Springer International Publishing, Switzerland, pp. 33–50.
- Bose, E., Maganti, S., Bowles, K.H., Brueshoff, B.L., Monsen, K.A., 2019. Machine learning methods for identifying critical data elements in nursing documentation. *Nurs. Res.* 68 (1), 65–72. doi:10.1097/NNR.0000000000000315.
- Bu, X., Lu, L., Zhang, Z., Zhang, Q., Zhu, Y., 2020. A general outpatient triage system based on dynamic uncertain causality graph. *IEEE Access* 8 (1), 93249–93263. doi:10.1109/ACCESS.2020.2995087.
- Buchanan, C., Howitt, M.L., Wilson, R., Booth, R.G., Risling, T., Bamford, M., 2020. Predicted influences of artificial intelligence on the domains of nursing: scoping review. *JMIR Nursing* 3 (1), e23939. doi:10.2196/23939.
- Cabri, A., Bagley, B., Brown, K., 2020. Use of computer vision to identify the frequency and magnitude of insulin syringe preparation errors. *J. Diabetes Sci. Technol.*, 1932296820946099. doi:10.1177/1932296820946099.
- Campbell, J.P., Lee, A.Y., Abramoff, M., Keane, P.A., Ting, D.S.W., Lum, F., Chiang, M.F., 2020. Reporting guidelines for artificial intelligence in medical research. *Ophthalmology* 127 (12), 1596–1599. doi:10.1016/j.ophtha.2020.09.009.
- Chen, I.Y., Pierson, E., Rose, S., Joshi, S., Ferryman, K., Ghassemi, M., 2021. Ethical machine learning in health care. *Annu. Rev. Biomed. Data Sci.* 4 (1), doi:10.1146/annurev-biodatasci-092820-114757.
- Chu, E.T., Huang, Z.Z., 2020. DBOS: a dialog-based object query system for hospital nurses. *Sensors (Basel)* 20 (22), 6639. doi:10.3390/s20226639.
- Chun, X., Pan, L., Lin, Y., Ye, L., Liang, H., Tao, J., Luo, Y., 2021. A model for predicting 7-day pressure injury outcomes in paediatric patients: a machine learning approach. *J. Adv. Nurs.* 77 (3), 1304–1314. doi:10.1111/jan.14680.
- Cooper, P.B., Hughes, B.J., Verghese, G.M., Just, J.S., Markham, A.J., 2021. Implementation of an automated sepsis screening tool in a community hospital setting. *J. Nurs. Care Qual.* 36 (2), 132–136. doi:10.1097/NCQ.0000000000000501.
- Cramer, E., Seneviratne, M., Sharifi, H., Ozturk, A., Hernandez-Boussard, T., 2019. Predicting the incidence of pressure ulcers in the intensive care unit using machine learning. *EGEMS (Wash DC)* 7 (1), 1–11. doi:10.5334/egems.307.
- Cummings, B.C., Ansari, S., Motyka, J.R., Wang, G., Medlin Jr, R.P., Kronick, S.L., Singh, K., Park, P.K., Napolitano, L.M., Dickson, R.P., Mathis, M.R., Sjoding, M.W., Admon, A.J., Blank, R., McSparron, J.I., Ward, K.R., Gillies, C.E., 2021. Predicting intensive care transfers and other unforeseen events: analytic model validation study and comparison to existing methods. *JMIR Med. Inform.* 9 (4), e25066. doi:10.2196/25066.
- Devos, P., Debeer, J., Ophals, J., Petrovic, M., 2019. Cognitive impairment screening using m-health: an android implementation of the mini-mental state examination (MMSE) using speech recognition. *Eur. Geriatr. Med.* 10 (3), 501–509. doi:10.1007/s41999-019-00186-0.
- Elo, S., Kyngäs, H., 2007. The qualitative content analysis process. *J. Adv. Nurs.* 62 (1), 107–115. doi:10.1111/j.1365-2648.2007.04569.x.
- Evans, S., 1985. Challenges facing the distribution of an artificial-intelligence-based system for nursing. *J. Med. Syst.* 9 (1–2), 79–89. doi:10.1007/BF00992524.
- Fernandez-Luque, L., Kushniruk, A.W., Georgiou, A., Basu, A., Petersen, C., Ronquillo, C., Paton, C., Nørh, C., Kuziemy, C.E., Alhuwail, D., Skiba, D., Huesing, E., Gabarron, E., Borycki, E.M., Magrabi, F., Denecque, K., Peute, L.W.P., Topaz, M., Al-Shorbaji, N., Lacroix, P., Marcilly, R., Cornet, R., Gogia, S.B., Kobayashi, S., Iyengar, S., Deserno, T.M., Mettler, T., Vimarlund, V., Zhu, X., 2021. Evidence-based health informatics as the foundation for the COVID-19 response: a joint call for action. *Methods Inf. Med.* 59 (6), 183–192. doi:10.1055/s-0041-1726414.
- Fratzke, J., Tucker, S., Shedenhelm, H., Arnold, J., Belda, T., Petera, M., 2014. Enhancing nursing practice by utilizing voice recognition for direct Documentation. *J. Nurs. Adm.* 44 (2), 79–86. doi:10.1097/NNA.0000000000000030.
- Gangavarapu, T., Jayasimha, A., Krishnan, G.S., Kamath, S.S., 2019. TAGS: towards automated classification of unstructured clinical nursing notes. *Nat. Lang. Process. Inf. Syst.* 11608, 195–207. doi:10.1007/978-3-030-23281-8_16.
- Gannod, G.C., Abbott, K.M., Van Haitsma, K., Martindale, N., Heppner, A., 2019. A machine learning recommender system to tailor preference assessments to enhance patient-centered care among nursing home residents. *Gerontologist* 59 (1), 167–176. doi:10.1093/geront/gny056.
- Gholami, B., Bailey, J., Haddad, W., Tannenbaum, A., 2012. Clinical decision support and closed-loop control for cardiopulmonary management and intensive care unit sedation using expert systems. *IEEE Trans. Control. Syst. Technol.* 20 (5), 1343–1350. doi:10.1109/tcst.2011.2162412.
- Ginestra, J., Giannini, H., Schweickert, W., Meadows, L., Lynch, M., Pavan, K., Chivers, C., Draugelis, M., Donnelly, P., Fuchs, B., Umsheid, C., 2019. Clinician perception of a machine learning-based early warning system designed to predict severe sepsis and septic shock. *Crit. Care Med. J.* 47, 1477–1484. doi:10.1097/CCM.0000000000003803.
- Grove, S.K., 2017. Evolution of research in building evidence-based nursing practise. In: Gray, J.R., Grove, S.K., Sutherland, S. (Eds.), *Burns and Grove's the Practise of Nursing Research*. Elsevier, St Louis, MO, pp. 18–36.
- Guidi, G., Pollonini, L., Dacso, C.C., Iadanza, E., 2015. A multi-layer monitoring system for clinical management of congestive heart failure. *BMC Med. Inform. Decis. Mak.* 15 (Suppl 3), S5. doi:10.1186/1472-6947-15-S3-S5.
- Habib, A.R., Lin, A.L., Grant, R.W., 2021. The epic sepsis model falls short-the importance of external validation. *JAMA Intern. Med.* doi:10.1001/jamainternmed.2021.3333, [Online ahead of print].
- Howarth, M., Bhatt, M., Benterud, E., Wolska, A., Minty, E., Choi, K.Y., Devrome, A., Harrison, T.G., Baylis, B., Dixon, E., Datta, I., Pannu, N., James, M.T., 2020. Development and initial implementation of electronic clinical decision supports for recognition and management of hospital-acquired acute kidney injury. *BMC Med. Inform. Decis. Mak.* 20 (1), 287. doi:10.1186/s12911-020-01303-x.
- Hunter, J., Freer, Y., Gatt, A., Reiter, E., Sripada, S., Sykes, C., Westwater, D., 2011. BT-Nurse: computer generation of natural language shift summaries from complex heterogeneous medical data. *J. Am. Med. Inform. Assoc.* 18 (5), 621–624. doi:10.1136/amiajnl-2011-000193.
- Hunter, J., Freer, Y., Gatt, A., Reiter, E., Sripada, S., Sykes, C., 2012. Automatic generation of natural language nursing shift summaries in neonatal intensive care: BT-Nurse. *Artif. Intell. in Med.* 56 (3), 157–172. doi:10.1016/j.artmed.2012.09.002.
- Hur, E., Jin, Y., Jin, T., Lee, S., 2019. Development and evaluation of the automated risk assessment system for catheter-associated urinary tract infection. *Comput. Inform. Nurs.* 37, 463–472. doi:10.1097/cin.0000000000000506.
- Hwang, Y.J., Kim, G.H., Sung, E.S., Nam, K.W., 2021. Convolutional neural network-based ambient light-independent panel digit surveillance technique for infusion pumps. *Proc. Inst. Mech. Eng. H.* 235 (5), 566–573. doi:10.1177/0954411921996090.
- Im, E.O., Cee, W., 2011. The DSCP-CA: a decision support computer program-cancer pain management. *Comput. Inform. Nurs.* 29 (5), 289–296. doi:10.1097/NCN.0b013e3181f9dd23.
- Ivanov, O., Wolf, L., Brecher, D., Lewis, E., Masek, K., Montgomery, K., Andrieu, Y., McLaughlin, M., Liu, S., Dunne, R., Klauer, K., Reilly, C., 2021. Improving ED emergency severity index acuity assignment using machine learning and clinical natural language processing. *J. Emerg. Nurs.* 47 (2), 265–278. doi:10.1016/j.jen.2020.11.001.
- Jauk, S., Kramer, D., Avian, A., Berghold, A., Leodolter, W., Schulz, S., 2021. Technology acceptance of a machine learning algorithm predicting delirium in a clinical setting: a mixed-methods study. *J. Med. Syst.* 45 (4), 48. doi:10.1007/s10916-021-01727-6.
- Jindal, D., Gupta, P., Jha, D., Ajay, V.S., Goenka, S., Jacob, P., Mehrotra, K., Perel, P., Nyong, J., Roy, A., Tandon, N., Prabhakaran, D., Patel, V., 2018. Development of mWellcare: an mHealth intervention for integrated management of hypertension

- sion and diabetes in low-resource settings. *Glob. Health Action*. 11 (1), 1517930. doi:10.1080/16549716.2018.1517930.
- Jung, H., Park, H.A., Hwang, H., 2020. Improving prediction of fall risk using electronic health record data with various types and sources at multiple times. *Comput. Inform. Nurs.* 38 (3), 157–164. doi:10.1097/CIN.0000000000000561.
- Kang, M.J., Jin, Y., Jin, T., Lee, S.M., 2018. Automated medication error risk assessment system (Auto-MERAS). *J. Nurs. Care Qual.* 33 (1), 86–93. doi:10.1097/NCQ.0000000000000266.
- Koleck, T., Tatonetti, N., Bakken, S., Mitha, S., Henderson, M., George, M., Misaskowski, C., Smaldone, A., Topaz, M., 2021. Identifying symptom information in clinical notes using natural language processing. *Nurs. Res.* 70 (3), 173–183. doi:10.1097/NNR.0000000000000488.
- Korach, Z.T., Yang, J., Rossetti, S.C., Cato, K.D., Kang, M.J., Knaplund, C., Schnock, K.O., Garcia, J.P., Jia, H., Schwartz, J.M., Zhou, L., 2020. Mining clinical phrases from nursing notes to discover risk factors of patient deterioration. *Int. J. Med. Inform.* 135. doi:10.1016/j.ijmedinf.2019.104053.
- Krick, T., Huter, K., Seibert, K., Domhoff, D., Wolf-Ostermann, K., 2020. Measuring the effectiveness of digital nursing technologies: development of a comprehensive digital nursing technology outcome framework based on a scoping review. *BMC Health Serv Res* 20 (1), 243. doi:10.1186/s12913-020-05106-8.
- Ladios-Martin, M., Fernández-de-Maya, J., Ballesta-López, F.J., Belso-Garzas, A., Mas-Asencio, M., Cabañero-Martínez, M.J., 2020. Predictive modeling of pressure injury risk in patients admitted to an intensive care unit. *Am. J. Crit. Care* 29 (4), e70–e80. doi:10.4037/ajcc2020237.
- Lee, H.C., Lin, J.S., 2020. An open-source wearable sensor system for detecting extravasation of intravenous infusion. *IEEE Trans. Instrum. Meas.* 70, 1–11. doi:10.1109/TIM.2020.3025394.
- Levac, D., Colquhoun, H., O'Brien, K.K., 2010. Scoping studies: advancing the methodology. *Implement. Sci.* 5 (69), 1–9. doi:10.1186/1748-5908-5-69.
- Li, D., Mathews, C., 2017. Automated measurement of pressure injury through image processing. *J. Clin. Nurs.* 26 (21–22), 3564–3575. doi:10.1111/jocn.13726.
- Liao, P.H., Hsu, P.T., Chu, W., Chu, W.C., 2015. Applying artificial intelligence technology to support decision-making in nursing: a case study in Taiwan. *Health Informatics J.* 22, 137–148. doi:10.1177/1460458213509806.
- Lin, H., Hsu, Y.L., Hsu, M.S., Cheng, C.M., 2014. Development of a telehealthcare decision support system for patients discharged from the hospital. *Telemed. J. E Health* 20 (8), 748–756. doi:10.1089/tmj.2013.0261.
- Liu, H., Hu, Q.V., He, L., 2018. Term-based personalization for feature selection in clinical handover form auto-filling. *Trans. Comput. Biol. Bioinform.* 14 (4), 1219–1230. doi:10.1109/TCBB.2018.2874237.
- Long, J., Yuan, M.J., Poonawala, R., 2016. An observational study to evaluate the usability and intent to adopt an artificial intelligence-powered medication reconciliation tool, interact. *J. Med. Res.* 5 (2), e14. doi:10.2196/ijmr.5462.
- Lopes, M.H., Ortega, N.R., Silveira, P.S., Massad, E., Higa, R., Hde, F.Marin, 2013. Fuzzy cognitive map in differential diagnosis of alterations in urinary elimination: a nursing approach. *Int. J. Med. Inform.* 82 (3), 201–208. doi:10.1016/j.ijmedinf.2012.05.012.
- Luo, Q., Huang, X., Li, L., Ding, Y., Mi, G., Robbins Scott, S., Zhao, Y., Rou, K., He, N., Wu, H., Wu, Z., 2019. External validation of a prediction tool to estimate the risk of human immunodeficiency virus infection amongst men who have sex with men. *Medicine (Baltimore)* 98 (29), e16375. doi:10.1097/MD.00000000000016375.
- Mairrittha, T., Mairrittha, N., Inoue, S., 2019. Evaluating a spoken dialogue system for recording systems of nursing care. *Sensors (Basel)* 19 (17), 3736. doi:10.3390/s19173736.
- Maitre, J., Bouchard, K., Gaboury, S., 2020. Fall detection with UWB radars and CNN-LSTM architecture. *IEEE J. Biomed. Health Inform.* 25 (4), 1273–1283. doi:10.1109/JBHI.2020.3027967.
- Martins, L.C.G., Lopes, M.V.O., Guedes, N.G., Menezes, A.P., Farias, O.O., Santos, N., 2016. Classification tree for the assessment of sedentary lifestyle among hypertensive. *Invest. Educ. Enferm.* 34 (1), 113–119. doi:10.17533/udea.iee.v34n1a13.
- Marukami, T., Tani, S., Matsuda, A., Takemoto, K., Shindo, A., Inada, H., 2012. A basic study on application of voice recognition input to an electronic nursing record system - evaluation of the function as an input interface. *J. Med. Syst.* 36, 1053–1058. doi:10.1007/s10916-010-9567-z.
- Matheny, M., Israni, S.T., Whicher, D., Ahmed, M., 2019. Chapter 1. Artificial intelligence in health care: the hope, the hype, the promise, the Peril. In: Matheny, M., Israni, S.T., Ahmed, M., Whicher, D. (Eds.), *Artificial intelligence in Health Care. The Hope, the Hype, the Promise, the Peril. A Special Publication from the National Academy of Medicine. National Academy of Medicine*, pp. 7–34.
- McGrow, K., 2019. Artificial intelligence. *Essentials for nursing. Nursing* 46 (9), 46–49. doi:10.1097/01.NURSE.0000577716.57052.8d.
- Minvielle, L., Audiffren, J., 2019. NurseNet: monitoring elderly levels of activity with a piezoelectric floor. *Sensors (Basel)*, 19 (18), 3851. doi:10.3390/s19183851.
- Moen, H., Hakala, K., Peltonen, L.M., Matinoli, H.M., Suhonen, H., Terho, K., Danielsson-Ojala, R., Valta, M., Ginter, F., Salakoski, T., Salanterä, S., 2020a. Assisting nurses in care documentation: from automated sentence classification to coherent document structures with subject headings. *J. Biomed. Semantics* 11 (1), 10–17. doi:10.1186/s13326-020-00229-7.
- Moen, H., Hakala, K., Peltonen, L.M., Suhonen, H., Ginter, F., Salakoski, T., Salanterä, S., 2020b. Supporting the use of standardized nursing terminologies with automatic subject heading prediction: a comparison of sentence-level text classification methods. *J. Am. Med. Inform. Assoc.* 27 (1), 81–88. doi:10.1093/jamia/oc2150.
- Mohammadi, R., Jain, S., Namin, A.T., Scholem Heller, M., Palacholla, R., Kamarthi, S., Wallace, B., 2020. Predicting unplanned readmissions following a hip or knee arthroplasty: retrospective observational study. *JMIR Med. Inform.* Nov. 8 (11), e19761. doi:10.2196/19761.
- Morita, T., Taki, K., Fujimoto, M., Suwa, H., Arakawa, Y., Yasumoto, K., 2018. Beacon-based time-spatial recognition toward automatic daily care reporting for nursing homes. *J. Sens.* (2018), 2625195. doi:10.1155/2018/2625195.
- Moskowitz, G., Egorova, N.N., Hazan, A., Freeman, R., Reich, D.L., Leipzig, R.M., 2020. Using electronic health records to enhance predictions of fall risk in inpatient settings. *Jt Comm. J. Qual. Patient Saf.* 46 (4), 199–206. doi:10.1016/j.jcjq.2020.01.009.
- Mufti, H.N., Hirsch, G.M., Abidi, S.R., Abidi, S.S.R., 2019. Exploiting machine learning algorithms and methods for the prediction of agitated delirium after cardiac surgery: models development and validation study. *JMIR Med. Inform.* 7 (4), e14993. doi:10.2196/14993.
- Munn, Z., Peters, M.D., Stern, C., Tufanaru, C., McArthur, A., Aromataris, E., 2018. Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Med. Res. Methodol.* 18 (1), 143. doi:10.1186/s12874-018-0611-x.
- Narang, A., Bae, R., Hong, H., Thomas, Y., Surette, S., Cadieu, C., Chaudhry, A., Martin, R.P., McCarthy, P.M., Rubenson, D.S., Goldstein, S., Little, S.H., Lang, R.M., Weissman, N.J., Thomas, J.D., 2021. Utility of a deep-learning algorithm to guide novices to acquire echocardiograms for limited diagnostic use. *JAMA Cardiol.* doi:10.1001/jamacardio.2021.018.
- North, F., Richards, D., Bremseth, K., Lee, M., Cox, D., Varkey, P., Stroebel, R., 2014. Clinical decision support improves quality of telephone triage documentation - an analysis of triage documentation before and after computerized clinical decision support. *BMC Med. Inform. Decis. Mak.* 14 (20). doi:10.1186/1472-6947-14-20.
- Nuutinen, M., Leskelä, R., Torkki, P., Suojalehto, E., Tirronen, A., Komssi, V., 2020. Developing and validating models for predicting nursing home admission using only RAI-HC instrument data. *Inform. Health Soc. Care* 45 (3), 292–308. doi:10.1080/107538157.2019.1656212.
- Oh, S.H., Park, E.J., Jin, Y., Piao, J., Lee, S.M., 2014. Automatic delirium prediction system in a Korean surgical intensive care unit. *Nurs. Crit. Care* 19 (6), 281–291. doi:10.1111/nicc.12048.
- Ongenaes, F., Claeys, M., Kerckhove, W., Dupont, T., Verhoeve, P., De Turck, F., 2014. A self-learning nurse call system. *Comput. Biol. Med.* 44, 110–123. doi:10.1016/j.combiomed.2013.10.014.
- Özcanhan, M.H., Utku, S., Unluturk, M.S., 2020. Neural network-supported patient-adaptive fall prevention system. *Neural Comput. Applic.* 32, 9369–9382. doi:10.1007/s00521-019-04451-y.
- Parisi, L., RaviChandran, N., Manaog, M., 2018. Decision support system to improve postoperative discharge: a novel multi-class classification approach. *Knowl. Based Syst.* 152, 1–10. doi:10.1016/j.knsys.2018.03.033.
- Parthasarathy, R., Steinbach, T., Knight, J., Knight, L., 2018. Framework to enhance nurses' use of EMR. *Hosp. Top.* 96 (3), 85–93. doi:10.1080/00185868.2018.1488545.
- Peirce, A.G., Elie, S., George, A., Gold, M., O'Hara, K., Rose-Facey, W., 2020. Knowledge development, technology and questions of nursing ethics. *Nurs. Ethics* 27 (1), 77–87. doi:10.1177/0969733019840752.
- Rababah, J.A., Al-Hammouri, M.M., Ta'an, W.F., 2021. A study of the relationship between nurses' experience, structural empowerment, and attitudes toward computer use. *Int. J. Nurs. Sci.* 8, 439–443. doi:10.1016/j.ijnss.2021.09.007.
- Rantz, M.J., Banerjee, T., Cattoo, E., Scott, S.D., Skubic, M., Popescu, M., 2014. Automated fall detection with quality improvement "rewind" to reduce falls in hospital rooms. *J. Gerontol. Nurs.* 40 (1), 13–17. doi:10.3928/00989134-20131126-01.
- Robert, N., 2019. How artificial intelligence is changing nursing. *Nurs. Manage.* 50 (9), 30–39. doi:10.1097/01.NUMA.0000578988.56622.21.
- Romero-Brufau, S., Whitford, D., Johnson, M.G., Hickman, J., Morlan, B.W., Therneau, T., Naessens, J., Huddleston, J.M., 2021. Using machine learning to improve the accuracy of patient deterioration predictions: mayo Clinic Early Warning Score (MC-EWS). *J. Am. Med. Inform. Assoc.* ocaa347. doi:10.1093/jamia/ocaa347.
- Ronquillo, C.E., Peltonen, L.M., Pruinelli, L., Chu, C.H., Bakken, S., Beduschi, A., Cato, K., Hardiker, N., Junger, A., Michalowski, M., Nyrup, R., Eng, S.R., Reed, D.N., Salakoski, T., Salanterä, S., Walton, N., Weber, P., Wiegand, T., Topaz, M., 2021. Artificial intelligence in nursing: priorities and opportunities from an international invitational think-tank of the nursing and artificial intelligence leadership collaborative. *J. Adv. Nurs.* doi:10.1111/jan.14855, [Epub ahead of print].
- Ryan, S.A., 1985. An expert system for nursing practice. *Clinical decision support. J. Med. Syst.* 9 (1–2), 29–41. doi:10.1007/BF00992520.
- Safavi, K.C., Khaniyev, T., Copenhagen, M., Seelen, M., Zenteno Langle, A.C., Zanger, J., Daily, B., Levi, R., Dunn, P., 2019. Development and validation of a machine learning model to aid discharge processes for inpatient surgical care. *JAMA Netw. Open.* 2 (12), e1917221. doi:10.1001/jamanetworkopen.2019.17221.
- Sandhu, S., Lin, A.L., Brajer, N., Sperling, J., Ratliff, W., Bedoya, A.D., Balu, S., O'Brien, C., Sendak, M.P., 2020. Integrating a machine learning system into clinical workflows: qualitative study. *J. Med. Internet Res.* 22 (11), e22421. doi:10.2196/22421.
- Setoguchi, Y., Ghaibeh, A.A., Mitani, K., Abe, Y., Hashimoto, I., Moriguchi, H., 2016. Predictability of pressure ulcers based on operation duration, transfer activity, and body mass index through the use of an alternating decision tree. *J. Med. Invest.* 63 (3–4), 248–255. doi:10.2152/jmi.63.248.
- Shu, F., Shu, J., 2021. An eight-camera fall detection system using human fall pattern recognition via machine learning by a low-cost android box. *Sci. Rep.* 11 (1), 2471. doi:10.1038/s41598-021-81115-9.

- Sikka, K., Ahmed, A., Diaz, D., Goodwin, M., Craig, K., Bartlett, M., Huang, J., 2012. Automated assessment of children's postoperative pain using computer vision. *Pediatrics* 136 (1), e124–e131. doi:[10.1542/peds.2015-0029](https://doi.org/10.1542/peds.2015-0029).
- Singh, K., Valley, T.S., Tang, S., Li, B.Y., Kamran, F., Sjöding, M.W., Wiens, J., Otles, E., Donnelly, J.P., Wei, M.Y., McBride, J.P., Cao, J., Penzoza, C., Ayanian, J.Z., Nallamothu, B.K., 2021. Evaluating a widely implemented proprietary deterioration index model among hospitalized patients with COVID-19. *Ann Am Thorac Soc* 18 (7), 1129–1137. doi:[10.1513/AnnalsATS.202006-698OC](https://doi.org/10.1513/AnnalsATS.202006-698OC).
- Singh, V.K., Shrivastava, U., Bouayad, L., Padmanabhan, B., Ialynytchev, A., Schultz, S.K., 2018. Machine learning for psychiatric patient triaging: an investigation of cascading classifiers. *J. Am. Med. Inform. Assoc.* 25 (11), 1481–1487. doi:[10.1093/jamia/ocy109](https://doi.org/10.1093/jamia/ocy109).
- Sitompul, D., Randhawa, S.U., 1990. Nurse scheduling models: a state-of-the-art review. *J. Soc. Health Syst.* 2 (1), 62–72.
- Skubic, M., Guevara, R.D., Rantz, M., 2015. Automated health alerts using in-home sensor data for embedded health assessment. *IEEE J. Transl. Eng. Health Med.* 3, 1–11. doi:[10.1109/JTEHM.2015.2421499](https://doi.org/10.1109/JTEHM.2015.2421499).
- Song, W., Kang, M.J., Zhang, L., Jung, W., Song, J., Bates, D.W., Dykes, P.C., 2021. Predicting pressure injury using nursing assessment phenotypes and machine learning methods. *J. Am. Med. Inform. Assoc.* 28 (4), 759–765. doi:[10.1093/jamia/ocaa336](https://doi.org/10.1093/jamia/ocaa336).
- Soufi, M., Samad-Soltani, T., Vahdati, S., Hachesu, P., 2018. Decision support system for triage management: a hybrid approach using rule-based reasoning and fuzzy logic. *Int. J. Med. Inform.* 114, 35–44. doi:[10.1016/j.ijmedinf.2018.03.008](https://doi.org/10.1016/j.ijmedinf.2018.03.008).
- Staggers, N., Gassert, C., Curran, C., 2002. A Delphi study to determine informatics competencies for nurses at four levels of practice. *Nurs. Res.* 51 (6), 383–390. doi:[10.1097/00006199-200211000-00006](https://doi.org/10.1097/00006199-200211000-00006).
- Steurbaut, K., Latré, S., Decruyenaere, J., De Turck, F., 2013. Autonomic care platform for optimizing query performance. *BMC Med. Inform. Decis. Mak.* 13 (1), 120. doi:[10.1186/1472-6947-13-120](https://doi.org/10.1186/1472-6947-13-120).
- Stokes, F., Palmer, A., 2020. Artificial intelligence and robotics in nursing: ethics of caring as a guide to dividing tasks between AI and humans. *Nurs. Philos.* 21 (4), e12306. doi:[10.1111/nup.12306](https://doi.org/10.1111/nup.12306).
- Su, B.Y., Enayati, M., Skubic, M., Despina, L., Keller, J., Popescu, M., Guidoboni, G., Rantz, M., 2019. Monitoring the relative blood pressure using a hydraulic bed sensor system. *IEEE Trans. Biomed. Eng.* 66 (3), 740–748. doi:[10.1109/TBME.2018.2855639](https://doi.org/10.1109/TBME.2018.2855639).
- Subramaniam, S.D., Dass, B., 2021. Automated nociceptive pain assessment using physiological signals and a hybrid deep learning network. *IEEE Sens. J.* 21 (3), 3335–3343. doi:[10.1109/JSEN.2020.3023656](https://doi.org/10.1109/JSEN.2020.3023656).
- Sullivan, S.S., Hewner, S., Chandola, V., Westra, B.L., 2019. Mortality risk in home-bound older adults predicted from routinely collected nursing data. *Nurs. Res.* 68 (2), 156–166. doi:[10.1097/NNR.0000000000000328](https://doi.org/10.1097/NNR.0000000000000328).
- Suominen, H., Johnson, M., Zhou, M., Sanchez, P., Sirel, R., Basilakis, J., Hanlen, L., Estival, D., Dawson, L., Kelly, B., 2015. Capturing patient information at nursing shift changes: methodological evaluation of speech recognition and information extraction. *J. Am. Med. Inform. Assoc.* 22, 48–66. doi:[10.1136/amiajnl-2014-002868](https://doi.org/10.1136/amiajnl-2014-002868).
- Tang, V., Siu, P., Choy, K., Lam, Y., Ho, G., Lee, C., Tsang, Y., 2019. An adaptive clinical decision support system for serving the elderly with chronic diseases in health-care industry. *Expert Syst.* 36 (2), E12369. doi:[10.1111/exsy.12369](https://doi.org/10.1111/exsy.12369).
- Tateno, S., Meng, F., Qian, R., Hachiya, Y., 2020. Privacy-preserved fall detection method with three dimensional convolutional neural network using low-resolution infrared array sensor. *Sensors (Basel)* 20 (20), 5957. doi:[10.3390/s20205957](https://doi.org/10.3390/s20205957).
- Topaz, M., Lai, K., Dowding, D., Lei, V.J., Zisberg, A., Bowles, K.H., Zhou, L., 2016. Automated identification of wound information in clinical notes of patients with heart diseases: developing and validating a natural language processing application. *Int. J. Nurs. Stud.* 64 (2016), 25–31. doi:[10.1016/j.ijnurstu.2016.09.013](https://doi.org/10.1016/j.ijnurstu.2016.09.013).
- Topaz, M., Ronquillo, C., Peltonen, L.M., Pruinelli, L., Sarmiento, R.F., Badger, M.K., Ali, S., Lewis, A., Georgsson, M., Jeon, E., Tayaben, J.L., Kuo, C.H., Islam, T., Sommer, J., Jung, H., Eler, G.J., Alhuwail, D., Lee, Y.L., 2017. Nurse informaticians report low satisfaction and multi-level concerns with electronic health records: results from an international survey. *AMIA Annu. Symp.* 2016, 2016–2025. <https://www.ncbi.nlm.nih.gov/eutils/uttfi/pmc/articles/PMC5333337/>.
- Topaz, M., Murga, L., Bar-Bachar, O., McDonald, M., Bowles, K., 2019a. NimbleMiner: an open-source nursing-sensitive natural language processing system based on word embedding. *Comput. Inform. Nurs.* 37 (11), 583–590. doi:[10.1097/CIN.0000000000000557](https://doi.org/10.1097/CIN.0000000000000557).
- Topaz, M., Murga, L., Gaddis, K.M., McDonald, M.V., Bar-Bachar, O., Goldberg, Y., Bowles, K.H., Bowles, K., 2019b. Mining fall-related information in clinical notes: comparison of rule-based and novel word embedding-based machine learning approaches. *J. Biomed. Inform.* 90, 103103. doi:[10.1016/j.jbi.2019.103103](https://doi.org/10.1016/j.jbi.2019.103103).
- Tran, B.X., Vu, G.T., Ha, G.H., Vuong, Q.H., Ho, M.T., Vuong, T.T., La, V.P., Ho, M.T., Nghiem, K.C.P., Nguyen, H.L.T., Latkin, C.A., Tam, W.W.S., Cheung, N.M., Nguyen, H.K.T., Ho, C.S.H., Ho, R.C.M., 2019. Global evolution of research in artificial intelligence in health and medicine: a bibliometric study. *J. Clin. Med.* 8 (3), 360. doi:[10.3390/jcm8030360](https://doi.org/10.3390/jcm8030360).
- Tricco, A.C., Lillie, E., Zarin, W., O'Brien, K.K., Colquhoun, H., Levac, D., Moher, D., Peters, M.D.J., Horsley, T., Weeks, L., Hempel, S., Akl, E.A., Chang, C., McGowan, J., Stewart, L., Hartling, L., Aldcroft, A., Wilson, M.G., Garritty, C., Lewin, S., Godfrey, C.M., Macdonald, M.T., Langlois, E.V., Soares-Weiser, K., Moriarty, J., Cliford, T., Tunçalp, Ö., Straus, S.E., 2018. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann. Intern. Med.* 169 (7), 467–473. doi:[10.7326/M18-0850](https://doi.org/10.7326/M18-0850).
- Unger, M., Black, D., Fischer, N.M., Neumuth, T., Glaser, B., 2019. Design and evaluation of an eye tracking support system for the scrub nurse. *MRCAS* 15 (1). doi:[10.1002/rcs.1954](https://doi.org/10.1002/rcs.1954).
- Vedanthan, R., Blank, E., Tuikong, N., Kamano, J., Misoi, L., Tulieng, D., Hutchinson, C., Ascheim, D.D., Kimaiyo, S., Fuster, V., Were, M.C., 2015. Usability and feasibility of a tablet-based decision-support and integrated record-keeping (DE-SIRE) tool in the nurse management of hypertension in rural western Kenya. *Int. J. Med. Inform.* 84 (3), 207–219. doi:[10.1016/j.ijmedinf.2014.12.005](https://doi.org/10.1016/j.ijmedinf.2014.12.005).
- Wang, Y., Jiang, X., Yu, K., Shi, F., Qin, L., Zhou, H., Cai, F., 2021. Infrared thermal images classification for pressure injury prevention, incorporating the convolutional neural networks. *IEEE Access* 9, 15181–15190. doi:[10.1109/ACCESS.2021.3051095](https://doi.org/10.1109/ACCESS.2021.3051095).
- Wang, L., Pedersen, P.C., Strong, D.M., Tulu, B., Agu, E., Ignatz, R., 2015. Smartphone-based wound assessment system for patients with diabetes. *IEEE Trans. Biomed. Eng.* 62 (2), 477–488. doi:[10.1109/TBME.2014.2358632](https://doi.org/10.1109/TBME.2014.2358632).
- Wang, S., Zhang, Q., Huang, W., Tian, H., Hu, J., Cheng, Y., Peng, Y.A., 2018. A new smart mobile system for chronic wound care management. *IEEE Access* 6, 52355–52365. doi:[10.1109/ACCESS.2018.2864264](https://doi.org/10.1109/ACCESS.2018.2864264).
- Wellner, B., Grand, J., Canzone, E., Coarr, M., Brady, P.W., Simmons, J., Kirkendall, E., Dean, N., Kleinman, M., Sylvester, P., 2017. Predicting unplanned transfers to the intensive care unit: a machine learning approach leveraging diverse clinical elements. *JMIR Med. Inform.* 5 (4), e45. doi:[10.2196/jmedinform.8680](https://doi.org/10.2196/jmedinform.8680).
- Wong, A., Young, A., Liang, A., Gonzales, R., Douglas, V., Hadley, D., 2018. Development and validation of an electronic health record-based machine learning model to estimate delirium risk in newly hospitalized patients without known cognitive impairment. *JAMA Netw. Open* 1 (4), e181018. doi:[10.1001/jamanetworkopen.2018.1018](https://doi.org/10.1001/jamanetworkopen.2018.1018).
- Wong, A., Otles, E., Donnelly, J.P., Krumm, A., McCullough, J., DeTroyer-Cooley, O., Pestue, J., Phillips, M., Konye, J., Penzoza, C., Ghous, M., Singh, K., 2021. External validation of a widely implemented proprietary sepsis prediction model in hospitalized patients. *JAMA Intern. Med.* doi:[10.1001/jamainternmed.2021.2626](https://doi.org/10.1001/jamainternmed.2021.2626), [published online].
- Wojtusiak, J., Asadzadeh-zanjani, N., Levy, C., Alemi, F., Williams, A.E., 2021. Computational barthel index: an automated tool for assessing and predicting activities of daily living among nursing home patients. *BMC Med. Inform. Decis. Mak.* 21 (1), 17. doi:[10.1186/s12911-020-01368-8](https://doi.org/10.1186/s12911-020-01368-8).
- Yokota, S., Endo, M., Ohe, K., 2017. Establishing a classification system for high fall-risk among inpatients using support vector machines. *Comput. Inform. Nurs.* 35 (8), 408–416. doi:[10.1097/CIN.0000000000000332](https://doi.org/10.1097/CIN.0000000000000332).
- Yu, J.Y., Jeong, G.Y., Jeong, O.S., Chang, D.K., Cha, W.C., 2020. Machine learning and initial nursing assessment-based triage system for emergency department. *Healthc. Inform. Res.* 26 (1), 13–19. doi:[10.4258/hir.2020.26.1.13](https://doi.org/10.4258/hir.2020.26.1.13).
- Zachariah, E., Sanabria, L., Liu, J., Cohen, B., Yao, D., Larson, E., 2020. Novel strategies for predicting healthcare-associated infections at admission. *Nurs. Res.* 69 (5), 399–403. doi:[10.1097/NNR.0000000000000449](https://doi.org/10.1097/NNR.0000000000000449).
- Zamzmi, G., Chih-Yun, P., Goldgof, D., Kasturi, R., Ashmeade, T., Sun, Y., 2019. A comprehensive and context-sensitive neonatal pain assessment using computer vision. *IEEE Trans. Affect. Comput.* 1 (1), 1. doi:[10.1109/TAFFC.2019.2926710](https://doi.org/10.1109/TAFFC.2019.2926710).
- Zhou, Y., Li, Z., Li, Y., 2021. Interdisciplinary collaboration between nursing and engineering in health care: a scoping review. *Int. J. Nurs. Stud.* 117, 103900. doi:[10.1016/j.ijnurstu.2021.103900](https://doi.org/10.1016/j.ijnurstu.2021.103900).